





Digitized by the Internet Archive in 2017 with funding from Wellcome Library

7'717: ANTIMAL ICINGDOM ARRANGED ACCORDING TO ITS ORGANIZATION Houndation for the MATURAL EISTORY OF AMIMALS, Introduction To comparative shatomy BARON CUTTER. Great Officer of the Legion of Honour Counseller of Move, & Member of the Royal Council of Sublic Instruction, Oncof the Forty of the French . Good ony, Lerpotual Levelary to the Soudemy of Soieners, Member of the Soudenines is Koyal Societies of London, Bertin, Petersburgh Stockholm, Juria, Chinhungh Copenhagen, Sottingen, Sin core. Modeno the Selicions & Coloutto & of the Landon Secrety of Lorden Sel MUR FICARRY DESIGNED TELER MYLARE Ornsturen, Arachmides & Insectio. M. Inaticille Chevalier of the Legion of Honours. Homber of the Institute Royal Sendency of Seiences & of the greater parties of other learned Secreties in Outogo, Unerica &c. Oranslated from the latest French Goition. (with) ADDITIONAL NOTES, Mustrated by nearly 800 Coloured . Plates. THEOUR YOUNDES, VOT. III. MONITSCA-ANYELIDES-CRISTACEA-AND ARACHNIDES. hoyboy. G. Honderson. 2. Old Builey Ludgate Hill 1837,



TABLE OF CONTENTS TO PLATES.

VOLUME III. MOLLUSCA—ANNELIDES—CRUSTACEA— ARACHNIDES.

	MOLLUSCA. V	ol. III.	Page
Plate 1.	Fig. 1.—Octopus Cuvierii, D'Orb.		. 7
	Fig. 2.—Part of an arm of the ELEDONE MOSCHATUS, Lam.	Poulp	е
	Musqué		. 10
	Fig. 3.—Argonauta argo, Lin. (The Paper Nautilus)	•	. 11
	Fig. 4.—Sepia officinalis, Lin		. 13
	Fig. 5.—Loligo Brogniartii, D'Orb; Sepia media, Lin.		. 12
	Fig. 6.—The extremity of a great arm, and internal shape	e, of the	9
	Onychoteuthis angulata, Les.		. 12
	Fig. 7.—NAUTILUS POMPILIUS, Lin.		. 14
	Fig. 8.—Spirula Australis, Peron; Nautilus spirula, Lin.	,	. 14
Plate 2.	Fig. 1.—Sepia octopodia, Lin. (The Polypus of the Ancients)		. 9
	Fig. 2.—ELEADON MOSCHATUS, Leach; Poulpe musqué, La	m. Se	
	also Pl. 1. fig. 2.		. 10
	Fig. 3.—Loligo saggitata, Lam. (The Great Calmar) .		. 12
Plate 2.	bis. Fig. 1.—Various views of the SEPIA OCTOPODIA, Lin. (P		
	the Ancients). See also Pl. 2. fig. 1. a. Vie		
	shell, of which the left side is broken, to		
	irregular position of the animal. b. In the		
	shell, seen on the upper part, to shew that (
	of the animal is not in the axe of the shell. I tion of the tentacula branch right to left.		
	the shell, and to the right, to shew that the		
	of the latter are as well marked on the tents		
	on the mantle, and are simple impressions	a cara,	. 9
	Fig. 2.—Octopus argonaute, Lam		. 10
Plate 3.	Fig. 1.—Belemnites acutus, Blainv		. 15
	Fig. 2.—Ammonites dentatus, Domn		. 16
	Fig. 3.—Scaphites obliquus, Sow		. 16
	Fig. 4.—Bacculites vertebralis, Lam		. 16
	Fig. 5.—Turrilites Bergeri, Brong.		. 17
	Fig. 6.—NUMMULINA DISCOIDALIS, D'Orb	•	. 17
	Fig. 7.—Nonionina Lævigata, D'Orb.		. I7
	Fig. 8.—Siderolina calcitrapoides, D'Oib		17
	Fig. 9.—Peneroplis planatus, D'Orb.	•	. 18
	Fig. 10.—PLATULINA DUBIA, D'Orb.	•	18
	Fig. 11.—GIROIDINA CARINATA, D'Orb.	•	18
	Fig. 12.—Globigerina bulloides, D'Orb. Fig. 13.—Rotalia rosea, D'Orb.	٠	18
	Fig. 14.—Valvulina columna-torius, D'Orb.	•	18
	Fig. 15.—VALVULINA TRIANGULARIS, D'Orb.	•	18
	Fig. 16.—Bulimina striata, D'Orb.	•	18
	7, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	•	10
Plate 4.	Fig. 1.—Belemnites plenus, Blainv		15
	Fig. 2.—Belemnites hastatus, Blainv		15
	Fig. 3.—Belemnites bicanaliculatus, Blainv		15
	Fig. 4.—Belemnites gigas, Blainv.		15
	Fig. 5.—Belemnites penicillatus, Blainv		15
	Fig. 6.—ORTHOCERAS REGULARIS, Blainy.		15
	Fig. 7.—Conilites ungulatus, Knorr.		15
	Fig. 8.—Belemnites mucronatus, Blainy.	•	15
	Fig. 9.—Belemnites scanlæ, Blainv.	, .	15
		Ь	

MOLLUSCA.	Vol. III.	Page
Plate 4. bis. Fig. 1.—MILIOLA SAXORUM, Ency. Meth.*		. 19
Fig. 2.—MELONIA SPHERICA, Ency. Meth.		. 19
Fig. 3.—Melonia spheroidia, Ency. Meth.		. 19
Fig. 4.—Orbiculina nunismalis, Ency. Meth.	•	. 18
Fig. 5.—PLACENTULA PULVINATA, Ency. Meth.	•	. 18
Fig. 6.—Vorticialis craticulata, Ency. Meth.		. 18
Fig. 7.—LENTICULINA ROTULATA Ann. of the F. Mus	ент	. 18
Fig. 8.—Polystomerla ylanulata, Ficht.	•	. 18
Plate 4. ter. Fig. 1.—NUMMULITES LENTICULARIS; Naufilus lenticu	laris	. 17
Fig. 2.—Miliola Trigonula, Ency. Meth.	٠	. 19
Fig. 3.—Bacculites gigas		. 16
Fig. 3. a.—Portion of a BACCULITES .	•	. 16
Fig. 4.—Turrilites costulata, Bl.		. 16
Fig. 5.—Ammonites colubina, Bl.	•	. 16
Fig. 6.—Nautilus triangularis, Bl.		. 17
Fig. 7.—Nautilus umbilicatus, Bl.		. 17
Fig. 8.—Nautilus bisiphites, Bl.		. 18
Fig. 9.—Orbulites Crassa, Bl		. 18
Plate 5. Fig. 1.—Ammonites interreptus, Def. A young indivi-	dual	. 16
Fig. 1. a.—Front view		. 16
Fig. 2.—Ammonites Brogniartii, Sow.	•	. 16
Fig. 2. a.—Front view		. 16
Fig. 3.—Ammonites crassa, Def.	•	. 16
Fig. 3. a.—Front view		. 16
Fig. 4.—Ammonites Destonchamph, Def.	•	. 16
Fig. 5.—Ammonites Gervilli, Sow.		. 16
Fig. 5. a.—Front view	•	. 16
Plate 6. Fig. 1.—Nodosaria Ferussacii		. 18
Fig. 2.—Textularia pygmæa		. 19
Fig. 3.—Polymorphina digitata		. 19
Fig. 4.—TRILOCULINA DIFFORMIS .	•	. 19
Fig. 5.—Triloculina Tricarinata		. 19
Fig. 6.—Spiroloculina perforata .		. 19
Fig. 7.—Spiroloculina depressa	•	. 19
Figs. 8, 9.—ARTICULINA NITIDA .		. 19
Fig. 10.—Quinqueloculina striata	_	. 19
Fig. 11.—Amphistegina Lessonii .		. 19
Fig. 12.—Arveolina burloides .		. 19
Plate 7. Fig. 1.—CLIO BOREALIS, Lin. Cuv.	•	. 20
Fig. 2.—Cymbulia Peronii, Cuv		. 21
Fig. 3.—Pneumodermon diaphanum, Quoy and Gaym.		. 21
Fig. 4.—Pneumodermon Peronii, Cuv.		$\frac{1}{21}$
Fig. 5.—Limacina helicina, Cuv.		. 21
Fig. 6.—HYALEA GLOBULOSA, Rang.		. 22
Fig. 7.—HYALEA TRISPINOSA, Les.	•	. 22
Fig. 8.—Cleodora Lanceolata, Les.		. 22
Fig. 9.—Creseis virgula, Rang.		. 22
Fig. 10.—Cuvieria columnella, Rang.		. 22
Fig. 11.—Psyche globulosa, Rang.	•	. 22
Fig. 12.—Eurybia hemispherica, Rang.		. 22
Fig. 13.—Pyrgo lævis, Def. Cuv.		. 22
Plate 8. Fig. 1.—Lenticulites Plant Laris, Lam.		. 17
# It halongs to the group of the Augthor	2.1:	
* It belongs to the group of the Agathistegua of D'Orbigny	Irbigny.	,

TABLE OF THE PLATES.	iii
MOLLUSCA. Vol. III. I	age
Plate 8. Fig. 2.—Discorbites vesicularis, Lam. Fig. 3.—Rotalites trochidiformis, Lam.	18 18
Fig. 4.—Frondicularis complanata, Def.	18
Fig. 5.—Planularia auris, Def	18
Fig. 6.—Planosprites solitaria, Def. Fig. 7.—Spirolinites cylindracea, Lam.	18 18
Fig. 8.—Spirolinites complanata, Lam.	18
Fig. 9.—Nummulites lævigata	17
Fig. 10.—Nodosaria filiformis	18
Plate 9. Fig. 1.—Hamite cylindricus, Def	16
Fig. 2.—Scaphites Æqualis, Sow	16 15
Fig. 4.—Conularia Sowerbii, Def.	16
Plate 10. Fig. 1.—Notarchus. A new genus of the Gasteropoda tecti-	
BRANCHIATA	46
Fig. 2.—Pleurobranchus Luniceps. a. The penis. b. b. Tentacula.	
c. The anus. d. d. The foot which everywhere projects beyond the body	45
Fig. 3.—Animal of the Anomia. a. Part of the muscle which is	
connected with the third valve. b. The foot. c. A portion of the mantle which unites the two large valves. d.d.	
The mantle. e. e. The shell	87
Fig. 4.—Animal of the SIGARETUS, with its fleshy mantle enve-	
loping and concealing its shell Fig. 5.—Animal of the Tridacna. a. A fibrous bundle analogous	61
to the threads of the Muscle, by which the Tridacna	
attaches itself to rocks. b. Aperture for the entrance of	
water. c. Opening corresponding to the anus. d. Trans-	97
Fig. 6.—Polyclinum diazona*	116
Plate 11. Fig. 1.—Arion empiricorum, Fer.	32
Fig. 2.—Limas yariegatus, Fer. Drap.	. 33
Fig. 3.—VITRINA PELLUCIDA, Drap. Fig. 4.—Testacellus haliotideus, Fer. Cuv.	34
Fig. 5.—Parmacella Olivieri, Cuv.	33
Fig. 6.—The head and interior rudimental parts of the PARMACELLA	l.
PALLIOLUM For	33
Plate 12. Fig. 1.—Helix carocolla, Lin. Cuv. Fig. 2.—Helix Globulosa, Lam.	. 33 . 33
Fig. 3.—Helix personata; Helix sinnata, Lam.	34
Fig. 4.—Helix Gualteriana, Lin. Cuv.	. 33
Fig. 5.—HELIX GARABINATA, Fernss.	. 35 . 33
Fig. 6.—Helix conoidea, Drap. Cu7. Fig. 7.—Helix memoralis, Lin. Cuv	. 33
Fig. 8.—Succinea Rubescens, Desh. encycl.	. 35
Fig. 9.—Chondrus avenaceus, Cuv.	. 35
Fig. 10.—Chondrus variabilis, Cuv. Fig. 11.—Bulimus guadalupensis, Fer.	. 35 . 34
Fig. 12.—Pupa striatella, Fer.	35
Fig. 13.—Clausilia inflata, Lam.	. 36
Fig. 14.—Achatina Mulleri, Fer.	. 39
Plate 13. Fig. 1.—HELIX OBVOLUTA	. 33
* A reduced sketch of the beautiful Polyclinum diazona, discovered by M. Roche, and recognised by M. Savigny as one of the compound Ascidiæ.	le La

	MOLLUSCA. Vol. II.	I. F	age
Plate 13.	Fig. 2.—VITRINA PELLUCIDA, Drap.		3.1
	Fig. 3.—Stecinea cocultata, Drap.; Amphilim. encapuchon	ni,	0.0
	Lam		36
	Fig. 4.—Succinea amphibia, Drap.	٠	36
	Fig. 5.—Clausilia Rugosa, Drap.	٠	36
	Fig. 6.—Bulla Zebra, Lin.		36
	Fig. 7.—Bellimus glans, Brug.		36
	Fig. 8.—Achatina columnaris, Brug.		36
	201 J Th		0.77
Plate 14.	Fig. I.—PLANORBIS GUADELUPENSIS, Fer.	· ·	37
	Fig. 2—Planorbis cornea; H. cornea, Lin.	٠	37
	Fig. 3.—Lymnæus pallidus, Guer.	•	38
	Fig. 4.—Lymnæus stagnalis; Helix stagnalis, Lin.	•	38
	Fig. 5.—Physa Novæ-Hollandiæ, Blainv.	•	38
	Fig. 6.—Scarabus imbium, Montf.; H. scarabœus, Lin.	•	39
	Fig. 7.—Auricula mid.E., Lam.	٠	39
	Fig. 8.—Conovulus pasciatus, Desh.	٠	39
	Fig. 9.—Onchidium Peronii, Cuv.	٠	37
Diate 15	Eig 1 Dong Ampoulancinama Com		40
Plate 15.	Fig. 1.—Doris Atromarginata, Cuv	۰	40
	Fig. 2.—Doris Magnifica, Quoy and Gaym. Fig. 3.—Eggs of the Doris	•	40
	Fig. 4.—Polycera cornuta, Mull.; Doris cornuta, Cuv.	•	41
	Fig. 5.—Tritonia elegans, Cuv.	۰	41
	Fig. 6.—Thethys fimbria, Lin.	۰	41
	Fig. 7.—Scyllæa Ghomphodensis, Quoy and Gaym.		42
	Fig. 8.—Glaucus Forsteri, Quoy and Gaym.	•	42
	118. O. — Obnobb 1 Okoleki, Waby and Odym.	•	-£ 21
DI-4- 10	Fire 1 De Fupon De Maurice Discourant Comment		1.4
Plate 10.	Fig. 1.—PLEUROBRANCHUS PUNCTATUS, Quoy and Gaym.	•	44
	Fig. 2.—PLEUROBRANCHIEA MACULATA, Quoy and Gaym.	٠	44
	Fig. 3.—Aplysia punctata, Cuv. Fig. 4.—Dolabella Rumphii, Cuv	٠	46
	Fig. 5.—Notarchus gelatinosus, Cuv.	•	46
	Fig. 6.—Bursatella Leachii, Blainv.	۰	46 47
	Fig. 7.—AKERA VIRIDIS, Rang.	•	47
	Fig. 8.—Gasteropteron Meckelli, Cuv.	•	49
	Fig. 9.—Ombrella indica, Lam.	•	49
	118. U. WINDERN HOTCH, Date.	۰	43
Dista 16	his Dim 1 Dynama was I reason Di		4.4
Plate 10.	bis. Fig. 1.—Pleurobranchus Lesseur. Bl.	۰	44
	Fig. 2.—Aplisia depilans, Lin.	•	46
	Fig. 3.—Ombrella indica, Lam. Sec also Pl. 16. fig. 9.	٠	49
701 / 1/2	to Etc. 1 Donas To (D) O. H. C.		4 -
Plate 16.	ter. Fig. 1.—BULLEA APERTA, Lam. (The Sea Wafer)	٠	47
	Fig. 2.—Bulla hydatis, Lin. (The Water Drop)	٠	48
	Fig. 3.—Bulla carnosa, Cuv.		48
	Fig. 4.—Sormetus Adansoni .	•	47
	Fig. 5.—Atlas Peronii, Bl.	•	47
	Fig. 6.—Bulla Fragilis, Lam.	•	47
	Fig. 7.— Bulla Lignaria, Bl. (The Wafer) Fig. 8.—Bulla Jonkairii, Bl.	•	48
	Fig. 9.—Bulla aplustre, Ency. Meth.		48
	Fig. 10.—Bulla naucum	٠	48
	Fig. 11.—Bulla ampulla, Ency. Meth. (The Nutmey)	•	48
	- g. 11. Deba and obba, buty, bacti. (the indiney)	٠	48
Plate 17	Fig. 1 — Capinapia ovarnivar Lam		FO
I late 17.	Fig. 1.—Carinaria cymbium, Lam.	٠	50
	Fig. 2.—Atlanta Keraudrenii, Les. Fig. 3.—Firola caudina, Rang.	٠	51
		٠	51
	Fig. 4.—Timoriana triangularis, Quoy and Gaym,	8	51

Fig. 2.—Conus mushelikus Fig. 3.—Conus nutratus

Fig. 4.—Conus textile

66

66

MOLLUSCA.	Vol.	III.	Pag	ge
Plate 22. bis. Fig. 5.—Conus imperialis .			. (66
Fig. 6.—Terebellum convolutum, Lam.	•			67
Fig. 7.—Volvaria monilis, Lin.			-	88
Fig. 8.—Marginella faba, Bl.; Voluta faba, Ada				38
Fig. 9.—MARGINELLA LINEATA, Bl.; Voluta Margi	nata		. 6	86
Plate 22. ter. Fig. 1.—OLIVA LITTERATA .	•		. 6	67
Fig. 2.—OLIVA UNDATA			. 6	57
Fig. 3.—OLIVA SUBULATA			. 6	6 7
Fig. 4.—Columbella strombiformis			-	38
Fig. 5.—MITRA TÆMATA, Bl.				39
Fig. 6.—MITRA EPISCOPALIS; Voluta episcopalis, Li	st.		-	59
Fig. 7.—MITRA MICROZONIAS			•	69
Fig. 8.—MITRA DACTYLUS				59
Fig. 9.—MITRA DECORATA, Schum.	•		. (59
Plate 23. Fig. 1.—HIPPONIX CORNUCOPIA, Lam.	•		. (33
Fig. 2.—Capulus hungaricus, List. Cuv.			. 6	53
Fig. 3.—Crepidula costata, Desh.			. (33
Fig. 4.—Septaria elliptica, Fer			. 6	33
Fig. 5.—Pileolus neritoides, Desh.			. 6	63
Fig. 6.—CALYPTRÆA AUSTRALIS, Desh.	•			54
Fig. 7.—CALYPTRÆA EQUESTRIS, Cuv.; P. equestus, Li	11.			54
Fig. 8.—CALYPTRÆA RUGOSA, Desh.	•		. (
Fig. 9.—CALYPTRÆA SQUAMULA, Desh.	•			34
Fig. 10.—Siphonaria Sowerbeil, Michelin	•			34
Fig. 11.—SIGARETUS HALIOTIDEUS, Lam.				34
Fig. 12.—Coriocella nigra, Bl.	•		_	35
Fig. 13.—CRYPTOSTOMA LEACHII, Bl.	1			35
Plate 23. bis. Fig. 1.—MITRA VULPECULA, Lam.	•			39
Fig. 2.—Conælix dactylus, Sow.; Mitra dactylus				39
Fig. 3.—CANCELLARIA ASPERULA, Desh.	•			59 -0
Fig. 4.—Buccinum Glans, Lam.				70
Fig. 5.—Buccinum Lævissimum, Lam.	•			69
Fig. 6.—NASSA RETICULATA, Lam.		•	• 6	70
Fig. 7.—EBURNA SPIRATA, Lam.	•			70
Fig. 8.—Ancillaria cinnamomea, Bl.		•		70
Es In Dorrar Bonner Low	•			
Plate 23. ter. Fig. 1.—Hipponix cornucopia, Def. See also Pl	. 23	fig. I		
Fig. 2.—Hipponix Sowerbeil, Def.		•		63
Fig. 3.—HIPPONIX DILATA, Def.	•			63
Fig. 4.—HIPPONIX MITRATA, Def		•		63
Fig. 5.—Crepidula subspirata Fig. 6.—Navicella elliptica, Encyc. Method.	•			63 63
Fig. 7.—CALYPTRÆA EXTINCTORIUM .		•		63
	•			
Plate 23. quar. Fig. 1.—Dolium Galea, Bl.		•		70
Fig. 2.—Buccinum undatum, or undulatum, Bl.				69
Fig. 3.—Buccinum reticulatum, Bl.		•		70
Fig. 4.—EBURNA ZEYLANICA, Bl.	•			70
Plate 24. Fig. 1.—Conus caledonicus, Lam.				66
Fig. 2.—Animal of the Conus Bandanus, Lam.	•			66
Fig. 3.—Conus tendineus, Lam.		•		66
Fig. 4.—Cypræa stolida, Lam.	1	٥ -		66
Fig. 5.—Animal of the Cypr. A pediculus, Lam. To		rom		0.0
drawing by MM. Audouin and Edward	l Si			66
Fig. 6.—Ovula triticka, Lam.		•		67
Fig. 7.—Ovula volva, Lam.; Bulla volva, Lin. Fig. 8.—Calpurnus verrucosus, Cuv.; Bulla verruc	ora I	111		67
Fig. 9.—Terebellum subulatum, Iain.	ora, 1	Alli.	•	67
Tig. J. TEREBELLUM SUBULATUM, DAIL.	0		0	UI

	٥	4
20	1	9
٧.	Ł	À

DEAL A LIGHT		Y 7 .	777	T)	
MOLLUSCA.		Vol.	111.		
Plate 24. Fig. 10.—Voluta nivosa,	•		•		67
Fig. 11.—Animal of the Voluta Ethiopica, Lan	\mathbf{m}_{\star}	•			67
Fig. 12.—Oliva ispidula, Lam.	•	•			
Fig. 13.—Oliva auricularia, Lam.		•			67
Fig. 14.—Volvaria pallida, Lam.	•			•	
Fig. 15.—MARGINELLA NUBECULATA, Lam.		•			68
Fig. 16.—MARGINELLA BULLATA, Lam.	•			•	68
,					
Plate 24. bis. Fig. 1.—Proto Turritella, Def.					72
Fig. 2.—Nerinea tuberculosa, Def.					72
Fig. 3.—MELANOPSIS LEVIS, Bl				•	
Fig. 4.—Turritella biangulata, Bl.	·			•	
Fig. 5.—Pyramidella dolabrata, Bl.					61
16. 0.—I IRRIIDELLA DOBABRATA, Di	•	·		•	_
2nd Plate 24. bis. Fig. 1.—HARPA VENTRICOSA, Lam					71
Fig. 2.—Purpura trochlea, Lam.		•			
	•	•		•	
Fig. 3.—Ricinula arachnoides, Lam.	. A	•			71
Fig. 4.—Concholepas peruvianus, D	Arg.	•			72
Fig. 5.—Cassis decussata, Lain.	L	•			
Fig. 6.—Cassidaria echinophora. Lis	τ.	•			72
Fig. 7.—Terebra muscaria, Lam.		•			72
Fig. 8.—Potamis palustre. Brogn. Lar	n.	•			72
Fig. 9.—Potamis fragilis, Def.	•	•		•	72
					-0
Plate 24. ter. Fig. 1.—Cassis tuberosa, Bl.		•			72
Fig. 2.—Purpura imbricata, Bl.	•	•			71
Fig. 3.—RICINULA HORRIDA, Bl.		•			71
Fig. 4.—TEREBRA BUCCINOIDEA .					72
Fig. 5.—HARPA NOBILIS, Lam.		•		•	72
0					
Plate 25. Fig. 1.—MUREX BRANDARIS, Lam.	•			•	73
Fig. 2.—MUREX HAUSTELLU .				•	73
Fig. 3.—Typhis pungens, Montf.				•	73
Fig. 4.—Murex cutaceus					73
Fig. 5.—MUREX LOTORIUM	Ť				73
12' - C 3r					74
Fig. 7.—MUREX RUBECULA	•				74
116. 7. HURBA MAGELLANICUS		•		•	
Plate 25. bis. Fig. 1.—CERITHUM VERTAGUS, Brug.					72
	•	•			72
Fig. 2.—Cerithum Aluco, Brug.		•			72
Fig. 3.—Ceritium tristoma, Brug.	•	•			72
Fig. 4.—Cerithum sulcata, Bl.	•	•			72
Fig. 5.—Cerithum Goumerii	•	•			72
Fig. 6.—Cerithum Madagascariensis, Bl	•	•		•	12
					74
Plate 25. ter. Fig. 1.—MUREX GYRINUS, Lin.		•			
Fig. 2.—MUREX LOTORIUM, Lin.	•	•		•	73 73
Fig. 3.—Murex adustus, Bl.		•		•	75
Fig. 4.—Murex scolymus, Mar.	•	•		•	75
Fig. 5.—Murex tulipa, Lin.		•			75
Fig. 6.—PYRULA MELONGENA, Bl.	•	•		•	75
					P7 A
Plate 26. Fig. 1.—Fusus Morio, Lam.	•				74
Fig. 2.—Struthiolaria nodulosa, Lam.		•		•	74
Fig. 3.—Pleurotoma Babylonia, Lam.	٠		•	•	74
Fig. 4.—Pleurotoma auriculifera, Bl.	•	•		•	74
Fig. 5.—Pyrula Rapa, Lam.			•	•	75
Fig. 6.—Pyrula ficus, Lain.				•	75

Di . 00	MOLLUSCA.	Vol.	III.	Pag
Plate 26.	Fig. 7.—Pyrula perversa, Lam	•		. 78
	Fig. 8.—Fasciolaria trapezium, Lam.	•		. 7
	Fig. 9.—Turbinella pyrum, Lam	•		. 7
	Fig. 10.—Turbinella ceramica, Lam.	•		. 73
Plate 26	. bis. Fig. 1.—Murex crassispina, Bl			75
_ 111100	Fig. 2.—Murex pungens, Bl.	•		. 73
	Fig. 3.—Buccin Papillosum, Bl.	•		70
	Fig. 4.—Buccin Arcularia. Bl.			. 70
	Fig. 5.—PTEROCERA SCORPIO, Lam. (first state)	For an	othe	r
	view, sec Pl. 27. fig. 2.		O (IIC	. 76
	Fig. 6.—Strombus tricornis, Bl.			. 70
	Fig. 7.—Fuseau tæniata, Bl.			. 76
Dista 96	ton Tig 1 (France) 111 Di			- 4
Plate 20.	ter. Fig. 1.—Triton lampus, Bl.	•	4	. 74
	Fig. 2.—RANELLA GRANULATA, Bl.	•	•	. 74
	Fig. 3.—Triton variegatum, Bl	٠	•	. 74
Plate 27.	Fig. 1.—Strombus papilio, Lam.			. 76
	Fig. 2.—Pterocera scorpio, Lam			. 76
	Fig. 3.—Rostellaria pespelecani, Lam.	•		76
	Fig. 4.—HIPPOCRENES MACROPTERA, Lam.	•		76
Plate 28.	Fig. 1.—VERMETUS LUMBRICALIS, Lin. Adans.			77
	77' 0 77			
	771 0 77			77
	Fig. 4.—MAGILUS ANTIQUUS, Montf	•	·	77
	This E. Caraca and T			77
Dlata 20	Fig. 1.—Patella vulgata, Martin .			90
rate 23.	Ein O D Cham	٠		80
	Fig. 3.—Patella compressa, Chem. Fig. 3.—Patella scutellaris, Blainv.		•	80 80
	Fig. 4.—Patella cochlearia, Fab.		t	80
	TN: E D Dl. '	•		80
	Fig. 6.—PATELLA CYMBULARIA, Blainv.			80
	Fig. 7.—PATELLA DEAURATA, Chem.			80
D1.4.20	Fig. 1. Culmon Manual Artis Cham			0.1
Plate 30.	Fig. 2.—CHITON MARMORATUS, Chem	•	•	81
	Fig. 3.—Chiton Faccicularis, Blainv.	•		81
	Fig. 4.—Chiton Lævis, Blainv.		۰	81 81
	Fig. 5.—Chiton Larvæformis	•	٠	81
	Fig. 6.—Coriocella Nigra, Blainv. For another view	see Pl	23,	01
	fig. 12.	•		65
	Fig. 7.—CRYPTOSTOMA LEACHH, Blainv. For another v 23, fig. 13.	riew, see	Pl.	0.5
	20, 118, 10.		•	65
Plate 31.	Fig. 1.—HALIOTIS CANALICULATA, Lam.			78
	Fig. 2.—Animal of the Haliotide, Cuv.	•		78
	Fig. 3.—Stomatia phymosis, Lam.	•		79
	Fig. 4.—FISSURELLA ANNULATA, Lam.	0		79
	Fig. 5.—Animal of the Fissurebla, Cuv.	•	•	79
	Fig. 6.—Animal of the Emarginute, Cuv.			79
	Fig. 7.—Animal of the Patelle, Cuv.	•	•	79
	Fig. 8.—PATELLA LUGUBRIS, Blainv.		•	79
	Fig. 9.—Parmophorus australis, Lam. Fig. 10.—Chiton squamosus, Lam.	•	٠	79
	A IM AU TOTAL DECEMBER OF MICHEL			80

TABLE OF THE PLATES.				ix
MOLLUSCA.		Vol	H	Page
Plate 31. bis. Fig. 1.—HINNITES DUBUISSONII, Bl.			~~~,	. 86
Fig. 2.—Plagiostoma punctata. Sow.	•		•	. 87
Fig. 3.—Pachytos spinosus, Cuv. Bl.		•		. 87
Fig. 4.—DIANCHORA STRIATA, Sow.	•		•	. 87
Fig. 5.—Podopsis truncata, Lam. Fig. 6.—Anomia ephippium, Lam.		•		. 87
Fig. 7.—PLACUNA PLACENTA, Brug.	•		•	. 88
Fig. 8.—Spondylus Americanus, Lam.		•		. 88
Fig. 9.—Plicatula cristata, Lam.				. 88
Fig. 10.—Vulsella lingulata, Lam.	•		•	. 89
Plate 32. Fig. 1.—RADIOLITES TURBINATA, Lam.				. 83
Fig. 2.—CALCEOLA SANDALINA, Lam.		·		. 84
Fig. 3.—Spherulites Jouannetii, Desm.	•			. 84
Fig. 4.—Spherulites crateriformis, Desm.	•			. 84
Fig. 5.—HIPPURITES CORNU-PASTORIS, Desm.	•	•		. 84
Fig. 6.—GRYPHÆA ARCUATA, Lam.	•		•	. 85
Fig. 7.—Ostrea crista-galli, Lam.	•	•		. 85
Fig. 8.—Ostrea edulis, Lam.	•			. 84
Fig. 9.—Pedum spondyloideum Fig. 10.—Pecten gibbosus, Lam.	•	•		. 86 . 80
Fig. 10.—Pecten Gibbosus, Lam	•			. 86
1-5. 21. Zimi dinemis, Lam.	•	•		. 00
2nd. Plate 32. Fig. 1.—CARDITA CALYCULATA, Lam.		•		. 96
Fig. 2.—Joint of the Shell of CYPRICARDIA	GUIN	AICA	, Lam	
Fig. 3.—Coralliophaga carditoides, Bl.		•		. 96
Fig. 4.—Joint of the Shell of VENERICA	RDIA	SUI	CATA	
Payr Fig. 5.—Crassatella sulcata, Lam.	•		•	. 96
Fig. 6.—Tridacna gigas, Lam.		•		9698
Fig. 7.—Hippopus maculatus, Lam.	•		•	. 98
Fig. 8.—Chama croceata, Lam.	•	•	•	. 98
District Time I Hamman Construction Def				0.4
Plate 32. bis. Fig. 1.—HIPPURITES CORNUCOPIA, Def. Fig. 2.—HIPPURITES BILOCULARIS, Lam.		•		. 84
Fig. 3.—Hippurites sulcata, Def. Attached	to a	Нтрр	· UDITT	. 84
BILOCULARIS	to a	Aller	UKIII	. 84
		•		• 01
2nd Plate 32. bis. Fig. 1.—Malleus vulgaris, Lam.		•		. 88
Fig. 2.—Perna ephippium, Lam.	•		•	. 89
Fig. 3.—CRENATULA AVICULARIS, Lam. Fig. 4.—GERVILIA SOLENOIDES, Def.		•		. 89
Fig. 5.—Inoceramus sulcatus, Cuv.	•		•	. 89
Fig. 6.—CATILLUS CUVIERII, Brong.		•		. 90
Fig. 7.—Pulvinites Adansonii, Defr.	•		•	90
Fig. 8.—Etheria ellipfica, Lam.	•		•	. 90
2nd Dieta 20 his Big 1 Convenentant Punguya Def				11#
3rd. Plate 32. bis. Fig. 1.—Strygocephala Burtinii, Def. Fig. 2.—Strophomena rugosa, Rafin.	•		•	. 117
Fig. 3.—Spirifera trigonalis, Sow.		•		. 117
Erge of Diffill Marie and State of the Control of t			•	. 11/
Plate 32. ter. Fig. 1.—Spherulites foliacia, Lam.		•		. 84
Fig. 2.—CALCEOLA HETEROCLITA, Def.	•		•	. 84
Fig. 3.—Ostrea margaritacea, Bl		•		. 84
2nd. Plate 32. ter Fig. 1.—TEREBRATULA DIGONA, Bl.	•		•	. 117
Fig. 2.—Terebratula globosa, Bl.				. 117
Fig. 3.—TEREBRATULA DIFFORMIS, Bl.			•	· 117
				C

MOLLUSCA.	Vol.	III.	Page
2nd. Plate 32. ter. Fig. 4TEREBRATULA ALATA, Bl.			. 117
Fig. 5.—Terebratula rubra, Bl.			. 117
Fig. 6.—TEREBRATULA CAPUT SERPENTIS, B			. 117
Fig. 7.—TEREBRATULA LYRA, Bl.			. 117
Fig. 8.—Terebratula canalifera, Bl.	•		. 117
Fig. 9.—Spirifera Sowerbeii, Def		•	. 117
Plate 33. Fig. 1.—Avicula Heteroptera, Lam.			. 91
Fig. 2.—PINTADINA MARGARITIFERA, Lam.; Mytilus	marga	ritace	•
ous, Lin.		•	. 90
Fig. 3.—PINTADINA MARGARITIFERA, Lam. Taken fi	rom a	young	
subject.	•		. 90
Fig. 4.—Pinna angustana, Lam.		•	. 91 . 92
Fig. 5.—Arca granosa, Lam.	•		
Fig. 6.—Pectunculus pilosus, Lam.		•	. 92
Fig. 7.—Nucula emarginata, Lam.	•		. 93
Fig. 8.—Trigonia pectinata. Lam.		•	. 55
2nd. Plate 33. Fig. 1.—DICERAS ARIETINA, Lam.			. 98
Fig. 2.—Isocardia Dussumierii, Val. In the	collec	tion o	f
the French Museum .			. 98
Fig. 3.—Cardium fimbriatum, Lam.			. 99
Fig. 4.—Donax Hilairea, Val. In the colle-	ction	of the	е
French Museum			. 100
Fig. 5.—Cyclas cornea, Lam.	•		. 100
Fig. 6.—Cyrena ceylanica, Lam.		•	. 100
Fig. 7.—Cyprina gigas, Lam.	•		. 101
Fig. 8.—GALATHEA RADIATA, Lam.		•	. 101
Plate 33. bis. Fig. 1.—PINNA NOBILIS, Lin			0.1
	•		9192
Fig. 2.—Arca No.E., Chem.			. 92
Fig. 3.—Arca Barbata, Chem. Fig. 4.—Arca tortuosa, Chem.	•		. 92
Fig. 5.—Arca Marmorata, Chem.		•	. 92
Fig. 6.—Arca mytiloidea, Bl	•		. 92
116. O. MINON M. CITBOIDER, Di.		•	
Plate 34. Fig. 1.—MYTILUS EDULIS, Lin. (The Common Muscle)	•		. 91
Fig. 2.—MYTILUS BILOCULARIS, Lin.	•		. 94
Fig. 3.—Modiolus papuensis, Bl.	•		. 94
Fig. 4.—Lithodomus Lithophagus, Lin. Cuv		•	. 94
Fig. 5 Anodonta cygnea, Lam.	•		. 95
Fig. 6.—Unio pictorum, Lin.		•	. 95
Fig. 7.—Unio caridiacea, Say	•		. 95
Fig. 8.—HYRIA AVICULARIA, Lam.		•	. 96
Fig. 9.—Castalia ambigua, Lam.	٠		. 96
Plate 34. bis. Fig. 1.—DIANCHORA STRIATA, Sow			. 87
Fig. 2.—Plagiostoma spinosa, Bl.			. 87
Fig. 3.—Podopsis truncata			: 87
Fig. 4.—Orbicula Lævis, Bl.; Patella anomala,	Müll.		. 118
Fig. 5.—HINNITES CORTESII, Def.		•	. 86
Plate 25 Ein 1 Comment of City			3.03
Plate 35. Fig. 1.—Cyprina islandica, Chem.		•	. 101
Fig. 2.—CHAMA GRYPHOIDES, Chem.	•		. 98
Fig. 3.—Chama gigas, Chem.		•	. 98
Fig. 4.—CARDIUM EDULE, Lin.	•		. 99
Fig. 5.—Carnium Hemicardium, Chem.		•	. 99
Fig. 6.—Isocardia cor, Lam.			. 98

	MOLLUSCA.	Vol. III.	
Plate 40. F	ig. 1.—SANGUINOLARIA RUGOSA	•	. 108
	ig. 2.—Sanguinolaria occidens, Lam.		. 108
	ig. 3.—Solemya Australis, Lam.		. 106
	ig. 4.—GLYCIMERA INCRASSATA, Chem. Lam.		. 106
	ig. 5.—Aspergillum Javanum, Chem		. 111
F	ig. 6.—FISTULANA CORNIFORMIS, Lam		. 110
F	ig. 7.—CLAVAGELLA TIBIALIS, Lam.		. 110
F	ig. 8.—Teredo palmulatus, Lam		. 109
	ig 9.—Gastrochæna clava	•	. 110
- A3 - T			. 109
	ig. 1.—Pholas striata, Lam		. 109
F	ig. 2.—Teredo navalis, Lin.		. 110
	ig. 3.—FISTULANA GREGATA, Lam.		. 110
	Sig. 4.—Gastrochæna cuneiformis, Lam.	-	. 110
1'	ig. 5.—Teredina personata, Lam.	•	. 110
1	Fig. 6.—CLAVAGELLA CORONATA, Desh.		
I	ig. 7.—Aspergilbum vaginiferum, Lam. Sav.; Arro	soir a man	. 111
	chettes, Savigny's Egypt.	•	
Plate 42. F	ig. 1.—Thalia cristata, Cuv		. 112
	Fig. 2.—SALPA SCUTIGERA, Cuv		. 113
	Fig. 3.—SALPA INFUNDIBULIFORMIS, Quoy and Gaym.		. 113
	Fig. 4.—SALPA TRICUSPIS, Quoy and Gaym.		. 113
	Fig. 5.—SALPA LONGICAUDA, Quoy and Gaym.		. II3
	Fig. 6.—SALPA FUSIFORMIS, Cuv		. I13
	Fig. 7.—SALPA ZONARIA, BÍ.	•	. 113
	Fig. 8.—SALPA CYLINDRICA, Cuv.	•	. 113
	Fig. 9.—Salpa Pyramidalis, Quoy and Gaym.		. 113
	Fig. 10.—BOLTENIA OVIFERA, Sav		. 114
	Fig. 11.—CYNTHIA MOMUS, Sav.	•	. 114
	Fig. 12.—PHALLUSIA NIGRA, Sav	•	. 114
	Fig. 13.—Clavellina Borealis, Sav.	•	. 114
	ig. 1.—Botryllus polycyclus, Sav.	4	. 114
	ig. 2.—Pyrosoma rufum, Quoy and Gaym.	•	. 115
	ig. 3.—Details of the Pyrosoma GIGANTEUM, Les.	•	. 115
	Fig. 4.—Polyclinum constellatum, Sav	•	. 115
H	Fig. 5.—Eucælium hospitiolum, Sav.	•	. 115
1	Fig. 6.—APLIDIUM LOBATUM, Sav.	•	. 115
	10 TI 1 A		
2nd. Plate	e 43. Fig. 1.—Anatifa Lævis, Lam.	•	. 119
	Fig. 2.—Pollicipes cornucopia, Lam.	•	. 120
	Fig. 3.—Pollicipes MITELLA, Lam.	•	. 120
	Fig. 4.—Pollicipes scalpellum, Lam.	•	. 120
	Fig. 5.—CINERAS VITTATA, Leach.	•	. 120
	Fig. 6.—Otion Cuvierii, Leach.	•	. 120
	Fig. 7.—Tetralesmis hirsutus, Cuv.	* T	. 120
	Fig. 8.—Triton Alepsis, Rang.; T. fasciculatus,	Lesson.	. 120
Dieto 43	ter. Fig. 1.—Ascidia microscomus .		110
Tate 40.	Fig. 2.—Ascidia intestinalis, Bohatsch	0	. 113
	Fig. 3.—DISTOMA VARIOLATUS	D	. 114
	Fig. 4.—Botrylla stellatus, Desm.	•	. 115
	This E. Consequence Till	•	. 115
	Fig. 6.—Synoicum ficus, Ellis. Fig. 6.—Synoicum turgens, Desm.	•	. 116
	Fig. 7.—SALPA POLOMORPHA, Quoy and Gaym.	•	. 116
	Fig. 8.—SALPA FIROLOIDEA	•	. 116
		•	. 116
	Fig. 9.—Salpa bicornis, Chem		-. 116

TABLE OF THE PLATES.	xiii
MOLLUSCA. Vol. III.	Page
Fig. 4.—Orbicula Lævigata, Bl.; Patella anomala, Müll. Fo	. 117
another view see Pl. 34. bis. fig. 4. Fig. 5.—Crania personata, Lam.	. 118
01 Dl., 44 Dt. 7 D	
Fig. 3.—ACASTA SPINOSULA, Desh	. 120 . 120 . 120 . 121 . 121
Fig. 6.—Asemus porosus; Lepas porosus, Gm. Cuv. Fig. 7.—Pyrgoma cancellata, Leach. Fig. 8.—The same from a drawing by M. Savigny Fig. 9.—Creusia spinosula, Leach.	. 121 . 121 . 121 . 12I
Fig. 13.—Coronilla Bolænaris, Lam.	. 121 . 121 . 121 . 121
Fig. 14.—Tubicinella Balænarum, Lam. Fig. 15.—Diadema, Ranz.; Coronula diadema, Lam.	. 121
Fig. 3.—BALANUS SPONGITES; Acasta Montagui, Leach.	. 121 . 121 . 121 . 121
Fig. 5.—Coronula Balanarum, Chemn. Fig. 6.—Pentalepas Lævis, Bl. Fig. 7.—Pentalepas pollicipes, Bl. Fig. 8.—Polylepas vulgaris, Bl. Fig. 9.—Lythotrias Sowerbeii	. 121
—e(o)	
ANNELIDES.	
ANNELIDES. Vol. III. Plate 1. Fig. 1.—Serpula contortuplicata, Cuv. Fig. 2.—Serpula costalis, Lam.; Serpula vermicularis. Gm. Fig. 3.—The Operculum of Serpula stellata, Cuv. Abildg. Fig. 4.—The Operculum of Serpula bicornis, Cuv. Abildg. Fig. 5.—Sabella protula, Cuv. Fig. 6.—Spirorbis nautiloides, Lam.; Serpula spirillum, Pall.	Page . 128 . 128 . 129 . 129 . 129 . 129
Plate 3. Fig. 1.—Dentalium entalis, Lin. Fig. 2.—Siphostoma diplochaitos, Otto Fig. 3.—Anatomical details of the Siphostoma uncinata, Aud. & I	. 133 . 132 Ed. 132
Plate 4. Fig. 5.—Arenicola piscatorum, Cuv. Fig. 2.—Pleyone alcyonia, Sav.	. 133
Plate 4. bis. Fig. 1.—EUPHROSINE LAUREATA, Sav. Cuv. Fig. 2.—Branchiæ of the EUPHROSINE MIRTOSA, Sav. Fig. 3.—HIPPONOE GAUDICHAUDII, Aud. Cuv.	. 134 . 134 . 134

ANNELIDES.

[Vol. III. Page

Fig. 2.—EUNICE ANTENNATA, Sav.; Leodice, Sav. Fig. 2.—EUNICE SANGUINEA, Laur. Fig. 3.—EUNICE TUBICOLA, Muller	. 13
Plate 6. Fig. I.—ŒNONE LUCIDA, Sav	. 135 . 135
Plate 7. Fig. 1.—Nereis nuntia, Sav. With Anatomical details.	. 138
Plate 8. Fig. 1.—Syllis monilaris, Sav. Fig. 2.—Lumbrinera Orbignyi, Ed.; Lumbrieus fragilis, Mull. Fig. 3.—Hesione splendida, Sav.	. 137 . 137 . 138
Plate 9. Fig. 1.—Aphrodita aculeata, Baster, Lin. Fig. 2.—Anatomical details of the Aphrodita histrix, Sav. Fig. 3.—Polynoe impatiens, Sav. Fig. 4.—Polynoe lævis, Ed.	. 139 . 139 . 139
Plate 10. Fig. 1.—CLYMENE AMPHISTOMA, Sav. Fig. 2.—SANGUISUGA OFFICINALIS, Sav. Fig. 3.—SANGUISUGA MEDICINALIS, Lin. (The Common Leach) Fig. 4.—BDELLA NILOTICA, Sav. Fig. 5.—Mouth of the Hæmopis sanguisorba, Lin. (The Horseleach)	. 144
~-0]3@0)3—	
CRUSTACEA.	
CRUSTACEA. Vol. III Plate I. Fig. 1.—Shell of the Cancer Menas, Lin. a, a.—Region of the Stomach. b.—Genital region. c.—Region of the Hear d.—Region of the posterior Hepatic. e, e.—Region the Branchiæ. f, f.—Region of the anterior Hepatic Fig. 2.—Interior of Cancer Menas, Lin. a, a, a, a.—Stomach. b.—Organs of Generation. c.—Heart. d, d.—Branchiæ e, f, f.—Liver. Fig. 3.—The Crab-Fish. a.—Region of the Stomach. b.—Gen tal region. c.—Region of the Heart. d.—Region of the posterior Hepatic. e, e.—Region of the Branchiæ Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Organ of Generation. c.—Heart. d, d, d, d.—Liver. e, e.—Branchiæ	he rt. of . 157 b, ee 157 i- 16 . 157 as
	. 163 . 163 . 164 . 164
Plate 3. Fig. 1.—MUTATA VICTOR, Fab. Fig. 2.—Cancer hastata, Herbst. Fig. 3.—Polybius Henslowii, Leach	. 163 . 165 . 163
Plate 4. Fig. 1.—Cancer puber, Lin. Fig. 2.—Portunus marmoreus, Leach Fig. 3.—Portunus variegatus, Leach	. 165 . 165 . 165
Plate 5. Fig. 1.—Cancer pagurus, Lin. Fig. 2.—Xantha floridus, Leach	. 167 . 167

CDIICTACEA Vol III E	2220
CRUSTACEA. Vol. III. F Plate 6. Fig. 1ATELECYCLUS SEPTEMDENTATUS, Leach Fig. 2CANCER RURICOLA, Lin	168
Fig. 2.—Mursia cristata, Des	169 168 173 167 170
Fig. 2.—Atelectyclus cruentatus, Desm.	167 168 168
Fig. 2.—Gonoplax rhomboides, Lin. Fig. 3.—Gelasimus chlorophtalmus, Latr. Fig. 4.—Mictyris longicarpius, Latr. Fig. 5.—Anatomical details of Mictyris sulcatus, Aud.	172 171 173 174 174 174
Plate 10. Fig. 1.—Eriphia Lævimana, Latr. Fig. 2.—Pilumnus aculeatus, Edw. Fig. 3.—Thelphusa indica, Latr. Fig. 4.—Fore-part of Thelphusa pluviatilis, Latr.	169 170 170 170
Plate 11. Fig. 1.—CANCER RHOMBOIDES, Lin	171 172 176
Plate 12. Fig. 1.—Thelphusa fluviatilis, Latr	
Latero-sternal pieces. k, k.—Vulva. l, l, l, l, l, l, l, l.	170
	170
Fig. 5.—Foot jaw of the second pair. Fig. 6.—Foot jaw of the third pair, with its Palpi	170 170 170
	177
Fig. 3.—Corystes personatis, Herbst. (The Masked Crab)	l . 177 . 176 . 177 . 177
Plate 15. Fig. 1.—Camposcia retuja, Latr. Fig. 2.—Halimus aries, Latr. Fig. 3.—Libinia spinosa, Ed.	. 182 . 182 . 183
Plate 16. Fig. 1.—EGERIA INDICA, Leach Fig. 2.—PISA TETRAODON, Leach	. 183 . 181
Plate 17. Fig. 1.—INACHUS SCORPIO, Fab.	. 184

	CRUSTACEA.	Vol. III.	
Plate 1	Fig. 3.—Hymenosoma orbicularis, Latr.		. 184
Plate 18	3. Fig. 1.—Homola spinifrons	•	. 187 . 188
Plate 1	Fig. 1.—Grapsus penicilliger, Cuv. G. porte-pinceau, Hairy-fingered Crab) Fig. 2.—Remipes testudinarius, Cuv. (The Australian Fig. 3.—Pagurus laticauda, Cuv. (The Mauritius Broad-t	Crab)	. 177
Plate 2	O. Fig. 5.—Gecarcinus lateralis, Frem. Fig. 2.—Mouth of the Cardisoma carnifex Fig. 3.—Uca una, Latr.; Cancer uca, Lin.	•	. 176 . 175 . 176
Plate 2	1. Fig. 1.—Homola spinifrons, Leach Fig. 2.—Pactolus Boscii, Leach Fig. 3.—Ranina dorsipes, Lam.	•	. 187 . 185 . 189
Plate 2	2. Fig. 1.—ALBUNEA SYMNISTA, Fab. Fig. 2.—HIPPA EMERITA, Fab. Fig. 3.—Remipes testudinarius (The Brazilian Crab). ing was taken from a specimen obtained fro		
	of Brazil.	<i>•</i>	. 192
Plate 2	3. Fig. 1.—Parthenope Horbida, Fab. Fig. 2.—An outline figure of the Lambrus massena, Roffig. 3.—Anatomy of the Lambrus Mediterraneus, Roffig. 4.—Eurynome aspera, Leach Fig. 5.—Mithrax spinicinctus, Latr. Young specime	1x.	. 180 . 180 . 180 . 180 . 180
Plate 2	4. Fig. 1.—Acanthonyx lunulatus, Latr.; Libinia lunu Fig. 2.—Pisa serpulifera, Ed	lata, Desn	n. 181 . 181 . 181
Plate 2	4. bis. Fig. 1.—MICIPPE PHYLIRA, Leach, Latr. Fig. 2.—Anatomical details of the MICIPPE CRIST. Latr. Fig. 3.—Stenocionops cervicornis, Leach Latr.	ATA, Leacl	. 182 h, . 182 . 182
Plate 2	25. Fig. 1.—Lithodes arctica, Lin. Fig. 2.—Calappa tuberculosa, Latr. Fab. Fig. 3.—Æthra depressa, Lam.	•	. 186 . 186 . 187
Plate :	25. bis. Fig. 1.—Dromia nodipes (The Death's-Head Crab) Fig. 2.—Drynomene hispida, Desm. Fig. 3.—Ranina serrata	•	. 188 . 18 6 . 189
Plate 2	C6. Fig. 1.—HYMENOSOMA LEACHII, Guer. Fig. 2.—INACHUS THORACICUS, ROUX. Fig. 3.—LEPTOPUS LONGIPES, Latr.; Maia longipes.	•	184184184
Plate 2	7. Fig. 1.—Eurypodius Latreillii, Cuv. Fig. 2.—Stenorhynchus phalangium, Leach Fig. 3.—Anatomical details of the Stenorhynchus te	• NUIROSTRI	,
	Fig. 4.—Leptopodia sagittaria, Fab.	•	185185
Plate ?	27. bis. Fig. 1.—Leucosia craniolaris, Fab	•	• 178

TABLE OF THE PLATES.		xvii
CRUSTACEA.	Vol. III.	
Plate 27. bis. Fig. 2.—Myra fugax, Desm.		. 178
Fig. 3.—EBALIA PENNANTII, Leach		. 178
Fig. 4.—IXIA CANALICULATA, Leach . Fig. 5.—Arcania erinaceus, Leach		178
Fig. 6.—ILIA NUCLEUS, Leach	•	. 178
Plate 28. Fig. 1.—Dromia hirsutissima, Lam. Desm.		. 188
Fig. 2.—IBACUS PERONH, Leach	•	. 195
Plate 28. bis. Fig. 1.—Palinurus quadricornis, Fab.	٠	. 196
Plate 29. Fig. 1.—BIRGUS LATRO, Latr.; Cancer latro, Lin.	•	. 193
Fig. 2.—PAGURUS GUTTATUS, Oliv. Fig. 3.—Antennæ of the PAGURUS CLYPBATUS, Oliv.		. 191
Cœnobita Latr.)	; (gener	. 193
Plate 29. bis. Fig. 1.—Scyllarus latus, Latr	•	. 195
Fig. 2.—Palinurus Ricordi, Guer.		. 196
Fig. 3.—Scyllarus orientalus, Fab.	•	. 195
Plate 30. Fig. 1.—GALATHEA STRIGOSA, Fab.		. 197
Fig. 2.—Cancer platycheles, Ponn.	•	. 198
Fig. 3.—ÆGLEA LÆVIS, Leach	•	. 198
Plate 31. Fig. 1.—THALASSINA SCORPIONIDES, Latr		. 200
	•	. 199
Fig. 3.—MEGALOPUS MUTICA, Dcsm	•	. 199
Plate 31. bis. Fig. 1.—CANCER GAMMARUS, Lin. (The Common Lobs)	ter)	. 201
		. 204
Fig. 2.—Atia scabra, Leach		. 198
Fig. 4.—Axius styrhynehus, Leach		. 200
Plate 31. ter. Fig. 1.—LYSMATA SETICAUDA, Risso		. 208
Fig. 2.—Pontonia custos, Guer. Forsk		. 206
Fig. 3.—Alpheus Edwardsii, Aud	•	. 206
rig. 4.— Allti Olilla Disholli, Ottol	•	. 200
2nd. Plate 31. ter. Fig. 1.—Squilla mantis, Fab.		. 213
Fig. 2.—Alima Hyalina, Leach		. 214
Fig. 3.—Erichtus vitreous, Latr. Fig. 4.—Erichtus armatus, Latr.	•	. 214
Fig. 5.—Phyllosoma clavicorna, Leach		. 214
Fig. 6.—PHYLLOSOMA LATICORNA, Leach .	•	. 215
Fig. 7.—JASSA PELAGICA, Leach .	•	. 222
Fig. 8.—CERAPHUS TUBULARIS, Th. Say		. 222
Fig. 9.—Praniza Maculata, West .	•	. 224
Plate 32. Fig. 1.—PALEMON SQUILLA, Lin. (The Common Prawn) .		. 208
Fig. 2.—Athanas nitescens, Leach		. 208
Fig. 3.—Pasiphæa sivado, Risso		. 208
Plate 32. bis. Fig. 1.—HIPPOLYTE SOWBRBÆI, Leach		. 206
Fig. 2.—HIPPOLYTE VARIANS, Leach	•	. 206
Fig. 3.—Nika canalichia Chy	•	. 205
Fig. 4.—Pandalus annulicornis, Leach Fig. 5.—Egeon loricatus, Risso		. 206
tig. o. Edeon Lonionics, Itisso	•	. 205
Plate 32. ter. Fig. 1.—Penæus Trisulcatus, Leach		203

	top m-	CRUST			Vol.		Page
Plate 32.	ter. Fig. 2.—PAL	ÆMON SERRATU	s, Leach	1			207
	Fig. 3.—Nib. Fig. 4.—Myi	ALIA HERBSTII	Leach	•		•	241
	Fig. 4.—MyI	s Fabricii, Le	ach ·				208
	Fig. 5.—CRA	ALIA Hærbstii s Fabricii, Le ngon vulgaris	s, Fab. (The C	Common Shr	imp)	٠	205
Plate 33.	Fig. 1.—NEPHRO	PS NORWEGICI	s. Lin.		*,		201
	Fig. 2.—ASTACUS Fig. 3.—ERYON	S FLUVIATILIS,	Fab	•	•	•	202
	Fig. 3.—ERYON	Cuvierii, Desm		•	0	•	201
	Fig. 4 CALLIA	NASSA SUBTERR	anea, Leach	•	٠		2 00
Plate 33.	bis. Fig. I.—Squ			•	•		213
	Fig. 2.—Squ	ILLA CHIRAGRA	, Fab.	•			213
Plate 33.	ter. Fig. 1.—Sau	ILLA SCABRICA	uda Lam. (ur	derneath v	view).	a, a	
		-Intermediar					
		næ. c, c.—Ey					
		e, e.—Second g, g, h, h.—Th					
		jaws. $i, i1$					
		l, l, m, m.—Fe					
		appendage pe					
		ment of the	body. p, p .—	Lateral fir			
		Fin-feet.					213
	Fig. 2.—ATY	A SCABRA, Lea	ch .				204
	Fig. 3.—Pro	Fin-feet. A SCABRA, Leaders Edulis,	Risso	•	•	•	205
Plate 34.	Fig. 1.—Squill	A STYLIERRA T	atr .			_	. 213
A luce O1.	Fig 9 Cononi	COOLODENDDA	Total				214
	Fig. 3.—ERICHT	US DUVAUCELL	II. Guer		Ť.		214
	Fig. 4.—ALIMA	LONGIROSTRIS,	Guer.	•			214
	Fig. 3.—ERICHT Fig. 4.—ALIMA Fig. 5.—Anatom.	ical details of A	LIMA TETRACA	ANTHURA,	Latr.		214
Plate 34.	bis. Fig. 1.—CAF	PRELLA THREEC	ulata, Guer.				226
1 14(0 0 1)		RELLA LOBATA,					
	Fig. 3.—Cya	MUS OVALIS, L	atr.				226
	Fig. 4.—PTE	ERYGOCERA ARE EUS FORFICULA HIS FERUS, Ed.	NARIA, Latr.				223
	Fig. 5.—Ane	EUS FORFICULA	RIS, Risso				224
	Fig. 6.—TYP	HIS FERUS, Ed.		•			221
	Fig. 7.—Cor	HIS FERUS, Ed. OPHIUM LONGI f the same, see	cornis, Latr.	For an	outlin	e fig.	
	0	f the same, see	Pl. 35.		•		222
	Fig. 8.—Typ	PHIS FERUS, Ed.	A young inc	lividual.	•	•	221
Plate 35.	Fig. 1.—PHRON	IMA SEDENTARI	us, Latr.				218
	Fig. 2.—TALIOR						220
	Fig. 3.—Orches				•		220
	Fig. 4.—ATYLUS			•			220
	Fig. 5.—LEUCOT			•	•		222
	Fig. 6.—DEXAM			•	•		221
	Fig. 7.—MELITA		ch .	•	•		221
	Fig. 8.—CANCER		T 1	•			. 221
	Fig. 9.—AMPHIT			•	•		. 221
	Fig. 10.—PHERU			٠			. 221
	Fig. 11.—CEROP Fig. 12.—CERAP			•	•		. 222
			·	•			. 222
Plate 35.	bis. Fig. 1.—PH			•	•		. 215
	Fig. 2.—Pn	YLLOSOMA REY	NAUDII, Guer.				. 215
	Fig. 3.—Ana	stomical details	of the PHYL	LOSOMA B	REVIC	ORNE	,
	1	Leach .	•	•	•		. 215

	TABLE OF TH	R DIATES.				xix
	CRUSTA			Vol. II		
Plate 35. bis. Fig. 4.—PH		CA, Guer.	•		•	218
Fig. 5.—Hx	PERIA LATREILL	11, Ed		•	•	218
Fig. 6.—Hy	PERIA PEDESTRIS	s, Guer.	•	•	•	218
Fig. 7.—Тн	EMISTO GAUDICH	AUDII, Guer.		•	•	218
Plate 35. ter. Figs. 1, 2	-Ione Thoracic	A, Mont.			•	219
Fig. 3.—OR	CHESTIA FISCHEI	EII, Ed.				220
	ndible of the Ore					220
	LITRUS PLATYCH		•			220
Fig. 6.—GA	MMARUS LOCUSTA	, Latr				221
Fig. 7.—LE	UCOTHOE FURINA	, Sav		•		221
Fig. 8.—An	PHITOE FILOSA,	Sav	•	•	٠	221
Plate 36. Fig. 1.—Gamma	ARUS PEDATUS, M	lüll		•		220
Fig. 2.—CYAMI	arus pedatus, M js ceti, Latr.; O	niscus ceti, Lin.				226
Fig. 3.—Onisci	us cærulatus, N	font.				224
	DES TALPA, Leach					223
	A TRICUSPIDATA,	Latr				233
	SOMA LINEARIS, I	Leach .	•			233
	JRA GRACILIS, Le	ach .	•			232
	BIDENTATA, Lead	ch .				232
Fig. 9.—Onisci	IS SERRATUS, Fab	٠.				232
Figs. 10. 11.—2	EGA EMARGINAT.	A, Leach	•	•		230
Plate 36. bis. Fig. I.—Cr	MOTHOA TRICON	OCEDHALA LOS	o b			229
	HTHYOPHILUS OF					223
	NOLIRA ÆGYPTI		•	•		229
	AMUS DELPHINI			•	•	
			•			
Plate 37. Figs. 1, 2.—Cy			•	•		2 29
	CRA CAPENSIS, Le				•	229
	CIRA SWAINSONI,					23 0
	ea Latreillii, I			•		232
	OCEA LAMARCKI		•	•		232
Figs. 7, 8.—Inc	OTEA AQUATICA,	Fab		•	•	234
Plate 38. Figs. 1, 2LI	GIA OCEANICA, Fa	.b				235
	us asellus, Lin.					236
	MADILLO PUSTUL					236
	US SQUILLARUM,					228
	view of Bopyrus					228
	iew of Bopyrus s					228
Fig. 9.—Claw o	f BOPYRUS SQUIL	LARUM	•			228
Figs. 10, 11.—]	Back and front vi	ew of an indivi	dual, sur	posed t	o be	
	the male Bory	RUS SQUILLARU	IM			228
Fig. 12.—Shiel	d of the PALEMON	NIS SQUILLARUN	a, with the	he right	side	
	deformed by th	e presence of a	BOPYRU	S		228
	LUS FOLIACEUS,					228
Fig. 13, a.—Ba	ck view of Argu	LUS FOLIACEUS,	(female)	•	228
Plate 39. Fig. 1.—CYPRI	S RELIGIOSA			,		245
Fig. 2.—Antho	SOMA SMITHII	•	•			270
Fig. 3.—CYTHE						245
Fig. 4.—CYCLO	PA COMMUNIS		•			244
Fig. 5.—LYNCE	EUS ROSEUS	•				253
Fig. 6.—PAND.	ARUS BICOLOR	•				269
Fig. 7.—Daphi	NIA CLATHRATA					250
	us Mulleri, (T		*			269
Fig. 9.—Diche	LESTIUM STURION	is .		•		271

	CRUSTACEA. Vol. 1II.	
Pla	te 39. bis. Fig. 1.—Cyclopa communis; or, quadricornis. (var. rubri)	. 244
	Fig. 2.—Cyclopa communis; or, quadricornis. (female,) var	•
	viridis Fig. 3.—Cyclopa communis. A young subject Fig. 4.—Cyclopa castor, (female) Fig. 5.—Cyclopa staphilinus Fig. 6.—Daphnia pulex, Latr.	. 244
	Fig. 3.—Cyclopa communis. A young subject	244
	Fig. 4.—UYCLOPA CASTOR, (female)	. 244 9/11
	Fig. 5.—UYCLOPA STAPHILINUS	253
	Fig. 6.—DAPHNIA PULEX, Latr	. 200
Pla	te 40. Fig. 1.—Apis cancirformis, Latr. (female) a.—Upper lip. b.—	_
	Shield. c, c.—Antennæ i, i.—Mandibles. k; k.—Firs	
	pair of Branching feet. l, l.—Branchial feet. m, m.—	-
	Threads of the tail. n.—A jaw of the first pair, notehed	l
	and eiliated along its margin. o.—A jaw of the second	l
	pair. p.—Tongue, bifid; on which is remarked a ciliated	040
	channel, that leads direct to the osophagus.	260
	Fig. 2.—Monoculus apis, Lin. Fig. 3.—Cypris fusca, Straus. Figs. 4, 5.—Cypris ornata, Müll. Back and front view. Fig. 6.—Cypris vidua, Müll. Figs. 7, 8.—Cypris unipasciata, Cuv. A new species	260
	Fig. 5.—UYPRIS FUSCA, Straus.	240 945
	Fig. 4, 5.—CYPRIS ORNATA, Mull. Dack and front view.	945
	Fig. 7.8 — Cyppis univacuata Chy A nor encoing	945
	11gs. 1, 0 Oli Ris Onli Asolalia, Out. Il new species .	210
Pla	te 41. Fig. 1.—LIMNADIA HERMANI, Ad. Brong.	254
	Fig. 2.—Branchipus paludosus (male). a, a.—Eyes, on pedicles.	
	b.—Horns. c, c.—Mandibuliform antennæ. d, d.—	
	Tentacula, in the shape of a trunk, moveable and rolled	
	in a spiral form. e .—Eye, simple rudiment. f , f , f .	
	-Natatory feet. g.—Gauntlet. h, h.—Tail. i, i.—	
		257
	Fig. 3.—Head of Branchipus Paludosus, seen in front, and under-	
	neath	257
	taining the eggs. l.—Valve	957
	taining the eggs. l.—Valve Fig. 5.—Branchipus paludosus. A young subject	257
Pla	te 42. Fig. 1.—Limulus polyphemus, Fab. Fig. 2.—Underneath view of Limulus polyphemus Figs. 3, 4.—Polyphemus oculus, Müll. Back and front view.	264
	Fig. 2.—Underneath view of Limulus Polyphemus	264
	Figs. 3, 4.—Polyphemus oculus, Mull. Back and front view.	248
	—o)e—o)o—	
	ARACHNIDES.	
	ARACHNIDES. Vol. III. I	age.
Plat	1 1V 1 Days T	290
	Fig. 2.—Mygale cæmentaria, Latr. (male)	288
	Fig. 3.—Scythodes thoracica, Latr	296
		304
		287
	Fig. 6.—Lycosa tarbntula, Latr.	
	THE REAL PROPERTY.	307
	THE REAL PROPERTY.	307 294
Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr.	294
Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr.	
	Fig. 7.—Mouth of Drassus Melanogaster, Latr. te 1. bis, Fig. 1.—Mygale fasciata, Walck.	294287
Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr	294
Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr. te 1. bis, Fig. 1.—Mygale fasciata, Walck. te 2. Fig. 1.—Mygale cancerides, Walck. (male)	294287
Plat Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr. te 1. bis, Fig. 1.—Mygale fasciata, Walck. te 2. Fig. 1.—Mygale cancerides, Walck. (male) te 2. bis. Fig. 1.—Mygale Blondii, Latr.	294287287
Plat Plat	Fig. 7.—Mouth of Drassus Melanogaster, Latr. te 1. bis, Fig. 1.—Mygale fasciata, Walck. te 2. Fig. 1.—Mygale cancerides, Walck. (male) te 2. bis. Fig. 1.—Mygale Blondii, Latr.	294287287


			3-	
	TABLE OF THE P	LATES.		xxi
Fig. 3.—I	ARACHNIDES ARANEA NIGRITA, Fab. I DRASSUS BICOLOR, Hahn DISDERA ERYTHRINA, La DRASSUS CINEREUS, Hah	Mas i. Mas tr	Vol. III.	Page . 291 . 293 . 291 . 293
Fig. 3.—Drass Fig. 4.—Drass	SUS MONTANUS, (female))	* v:	. 294 . 294 . 294 . 294 . 294
Fig. 3.—SEGES	ona amarantha, Walcetria senoculata, Walcetria perfida, Walck. Tona holoserica, Walce	lck.	: s legs).	. 295 . 294 . 294 . 295
	LUBIONA LAPIDICOLA, L LUBIONA PUNCTATA, (fe LUBIONA PALLENS, (str	emale)		. 295 . 295 . 295
	ona claustraria, (fen ona atrox, Walck. (fe ona nutrix, Lat. (strij	emale) .	• d mandibles	. 295 . 295 s) 295
	RANEA LABIRINTHICA, RANEA LABIRINTHICA, (RGYRONETA AQUATICA			. 295 . 295 . 295
Fig. 2.—THERI Fig. 3.—THERI	DION QUATUOR-GUTTATE ERIDION QUATUOR-GUTTA DION REDIMITUM, Walcotton BICOLOR DION VARIANS .	ATUM, (female)	•	. 269 . 296 . 296 . 296 . 296
Plate 7. bis. Fig. 1.—T Fig. 2.—T Fig. 3.—T Fig. 4.—T Fig. 5.—T	HERIDION QUATUOR-PUN HERIDION MACULATUM, HERIDION QUATUOR-SIG HERIDION DORSIGER HERIDION YARIANS			. 29 6 . 296 . 296 . 296 . 296
Plate 8. Fig. 1.—Phryn Fig. 2.—Scorp Fig. 3.—Theli Fig. 4.—Galeo	NUS RENIFORMIS, Lin. 10 AFER, Lin. (The Afri PHONUS CAUDATUS, Lin. DDBS SPINIPALPIS, Lat.	ican Scorpion) .; Phalangium ca	udatum	. 311 . 313 . 311 . 316
Plate 8. bis. Fig. 1.—T Fig. 2.—T Fig. 3.—T Fig. 4.—T Fig. 5.—T Fig. 6.—T	HERIDION RUBRIPES HERIDION THORACICUM HERIDION MAXILLOSUM HERIDION SIGNATUM, (for the sidion triste, (fem the sidion sisiphum)	emale) . ale) .	•	- 296 . 296 . 296 . 296 . 296 . 296
Plate 9. Fig. 1.—THERI Fig. 2.—THERI Fig. 3.—THERI Fig. 4.—THERI		ed of its legs and	mandibles)	. 296
	RANEA LÆVIPES, Lin. (1 HOMISUS AUREOLUS, Wa HOMISUS GRICEUS, (fema	dck. (male)		. 303 . 304 . 304

A D A CUNUDEC	Wal III	Dago
ARACHNIDES. Plate 9. ter. Fig. 1.—Thomisus Aureolus, Walck. (female)	Vol. III.	
Fig. 2.—Oxyopes variegatus, Lat. (female)	•	305
Fig. 3.—Aranea fimbriatus, Clerk		306
Plate IO. Fig. 1.—Thomisus pratensis, Hahn. Fig. 2.—Thomisus diadema, Hahn. Fig. 3.—Thomisus rhombolcus Fig. 4.—Thomisus oblongus		304
Fig. 2.—Thomisus diadema, Hahn	•	304
Fig. 3.—Thomisus rhomboicus		304
Fig. 4.—THOMISUS OBLONGUS	•	304
Plate 10. bis. Fig. 1.—Thomisus Pini		304
Fig. 2.—Thomisus robustus		304
Fig. 3.—Thomisus sabulosus		304
Fig. 4.—Thomisus brevipes		304
Fig. 3.—Thomisus sabulosus Fig. 4.—Thomisus brevipes Fig. 5.—Thomisus ulmi		304
Fig. 6.—Thomisus dateralis		304
District 10 to Eight Description and the		90×
Plate 10. ter. Fig. 1.—Pholcus Phalangioides, Walck.		297
Fig. 2.—EPEIRA CLAVIPES, Walck	•	300
Plate 11. Fig. 1.—EPEIRA STRUMII, Hahn		299
Fig. 2.—EPEIRA HIRSUTA, Hahn.		299
Fig. 3.—EPEIRA ULLRICHII, Hahn.		
		0.00
Plate 11. bis. Fig. 1.—Tetragnatha extensa, Lat.	•	298
Plate 11. ter. Fig. 1.—Thomisus floricolens, Walck.		304
Fig. 2.—Thomisus rotundatus, Walck.		804
Fig. 3.—Thomisus citreus, Walck		304
Fig. 4.—Araneus plantarius, Clerk .		295
Fig. 5.—Thomisus cristatus, Walck.		304
Plate 12. Fig. 1.—Epeira sericea, Walck-		200
Fig. 2.—EPEIRA SCLOPETARIA, Clerk	•	200
Plate 12. Fig. 1.—EPEIRA SERICEA, Walck- Fig. 2.—EPEIRA SCLOPETARIA, Clerk Fig. 3.—EPEIRA CONICA, Walck.	•	300
15. of History Waters	•	300
Plate 12. bis. Fig. 1.—MICROMMATA SMARAGBINA; M. smaragdula	, Lat. (male	301
Fig. 2.—MICROMMATA SMARAGDINA, (female)		301
Fig. 2.—Micrommata smaragdina, (female) Fig. 3.—Uloborus Walckenaerius, Lat. (female)		298
Plate 13. Fig. 1.—EPEIRA SCALARIS, Walck		200
Fig. 2.—EPEIRA APOCLISA, Walck.		299 299
118. 2. Di Bira ai Oction, Water,	• •	200
Plate 13. bis. Fig. 1.—Acrosoma furcata, Hahn. (female)*		300
771 0 1		300
Fig. 3.—Acrosoma Hexacantha, Hahn.; Aranea	hexacantha,	
Fab. (female)		300
Plate 14. Fig. 1.—Aranea fasciata; Epeira fasciata, Walck. (T.	ha Fassiats	,
or Barbary Spider)	ite rascialea	299
or zarowy opiaci j	•	בטע
Plate 15. Fig. 1.—Lycosa Latrbilleii		307
Fig. 2.—EPEIRA ANGULATA, Walck.		300
Fig. 3.—EPEIRA GENISTÆ		300
Fig. 4.—Epeira Herii, Hahn.	•	300
Plate 16. Fig. 1.—EPEIRA DIADEMA, (female)		900
Fig. 2.—EPEIRA TUBULOSA, Walck.		299 299
Fig. 3.—Epeira agalena, Hahn. Walck.		299
^-5· ··		M J U

^{*} The name given to a new subgenus, which includes all the Spiny Epeira.


P+						TAB	LE	OF T	HE 1	PLAT	ES.							X	xiii
							ARA	CH	NID.	ES.						Vol	. 1II.	Р	age
Plate !	16.	bis.	Fig.	1.—	EPRI					•									299
			Fig.	2.—	EPEI	RA V	IRG	ATA;	Ar										299
			Fig.	3.—	Body	of	EPEI	RA U	MBR.	ATIC	A; A	rai	nea	cic	atr	icosa	, Deg		
			Fig.	4.—	Body	of	Ереі	RA S	CHR	EIBEI	RSII,	(fe	ma	le)			•	•	299
l'late	16.	ter.	Fig.	1.—	Lyco	SA SI	LVIC	ULTE	RIX,	(mal	e)								307
			Fig.	2.—	Lyco	SA S	LVI	CULT	RIX,	(fen	iale)							307
			Fig.	3.—	Lyco	SA F	RAE	GRAN	SIGN				•		2				307
			Fig.	4.—	Lyco	SA H	ELL	ENIC	A.		•			٠			•	٠	3 07
Plate	17.	Fig.	1	-Lyc	OSA S	ABU	Losa	. Ha	hn.										3 07
		Fig.	2.—	-Lyc	OSA C	URSC	R, F	Iahn	•								•		307
		Fig.	3.—	-Lyc	OSA L	UGU	BRIS	, Ha	hn.				•					٠	3 07
		Fig.	4.—	-Lyc	OSA N	1ERI	DIAN	A, F	Iahn	•	•			٠					307
Plate	17.	bis.	Fig.	1.—	Lyco	SA I	MELA	GON	ASTE	R			•				•		307
			Fig.	2.—	Lyco	SA	RURI	COLA	. La	t.		•						٠	3 07
					LYCO								•			•			307
			Fig.	4.—	Lyco	SA.	ALPI	NA	٠		•			٠			•	•	307
Plate	17.	ter.	Fig.	1	ERES	US O	TENI	ZOTA	ES										309
			Fig.	2.—	ERES	US L	URII	US					•						309
			Fig.	3.—	PALI	PIMA	NUS	HAEN											309
			Fig.	4.—	PALI	PIMA	NUS	HAE	MATI	NUS,	(fer	nal	e)	•			•	•	3 09
					Oxy											•			306
			Fig.	6	Oxyo	OPES	LIN	EATU	s, L	atr. (tem	ale)	•			•	٠	306
Plate	18.									•			•						307
		Fig.	. 2.—	-Lyc	OSA P	IRA	TICA	_Wa	lck.		•			•			•	•	307
,		Fig.	. 3.—	-LYC	OSA S	ACC	ATA,	Latr	. (m	ale)			•			•		٠	3 07
Plate	18.	bis.	Fig.	1.—	-Lyco	OSA 1	LYNX	, (fe	male)									307
			Fig.	2.—	-Lyc	OSA I	PALU	Dos	, (fe	male	(:)		•			•			307
Plata	10	403	Tri	7	Dar	0350	D.Da		4 PM = 10	T.I.o.	L								000
Plate	10.	ter.			-Dor							r		•			•		306
		Julia de la composição de	Fig.	3.—	-Dol	OME	DES	MARC	FINA	TUS	Wa	lek.				•			3 06
										100,	** 0.			•			•	•	300
Plate	19.										•		•			•		•	309
					LTICU						•			•			•		3 09
		r ig	。み.⊸ ⊿	-SAI	TICU	STI	GRIN	US, F	iann				•			•			309
		Fig	· 4.—	A Tr	TICUS TUS Q	JULNA	TUK.	ALIS	IIS.	Wal	· l			•			•		310 310
	-									44 011	- A.		•			•		٠	910
Plate	20.	Fig	. 1	-SAI	LTICU	s SI	LOAN	ei, I	atr.								•		309
					LTICU					-			•						3 09
		Fig.	g. 3	—SA	LTICU	JS GI	RACII	LIS	•		•			٠			•		309
		Fig.	. 5 –	-SAI	TICU	S BK	EVIP	ES		•			•			•			310
		- 18	,• 0.	OAI	71100	o AG	71.40				•			•			•	•	310
Plate	21	Fig.	g. 1	-AT	TUS O	HAL	YBE	us,	Wald	k.			•			•		•	3 09
		Fig	2	-SA	LTICU	IS Æ	NEUS	m3.c	To b		•			•			•		310
		L 18	· J		LTICU:	S PU	BESC	ENS,	rau.				•			•			310
					LTICU						•			•			٠		310 310
					TICU					•	•		•			•	•		310
Plat	ีกก	Ū																	
Plate	44,				SALT						Ara	neo		nio	a 1	Lin			310
		- A	NAME OF A	W 0	THE REAL PROPERTY.	Uh	- NULL				AAACA	DA LA	AT L. D.	ALLE.	1 th -	7111.			- 3 1

Plate 22	ARACHNIDES. Fig. 3—Attus cupreus, Walck.	Vol.	III. Page
Plate 23	Fig. 1.—CHELIFER CANCROIDES, Geoff. (The Book-Scorpio Fig. 2.—CHELIFER IXOIDES, Hahn. Fig. 3.—CHELIFER CORTICALIS, Hahn. Fig. 4.—ERESUS CINNABERINUS, Walck. Fig. 5.—ERESUS ANNULATUS, Schaff.	n) .	. 316 . 316 . 309 . 3 09
Plate 21	Fig. 1.—Galeodes araneoides, (male) Fig. 2.—Galeodes araneoides, (female) Fig. 3.—Opilio tridens*		. 316 . 316 . 319
Plate 24	bis. Fig. 1.—Opilio lucorum, (male)* Fig. 2.—Opilio rufipes* Fig. 3.—Opilio lucorum, (female)*	•	. 319 . 319 . 319
Plate 25.	Fig. 1.—Opilio longipes, Herbst. (male) Fig. 2.—Phalangium cornutum, (male) Fig. 3.—Phalangium cornutum, Lin. (female)		. 318 . 319 . 319
Plate 26.	Fig. 1.—PHALANGIUM HELWIGII, Panz. Fig. 2.—OPILIO HISPIDUS, Herbst.*		. 3 19 . 319
Plate 27.		•	. 320 . 321 . 321 . 321 . 321 . 321
Plate 28.	Fig. 1.—Dolomedes riparious Fig. 2.—Ixodes reduvius, Hahn. Fig. 3.—Ixodes marginalis, Hahn. Fig. 4.—Theridion benignum, Walck. (male) Fig. 5.—Theridion benignum, (female) Fig. 6.—Aranea latens, Fab. Fig. 7.—Dictyna variabilis, Hahn.		. 324
Plate 29.	Fig. 1.—Hydrachna Geographica, Müll. Fig. 2.—Hydrachna histrionica, Hahn. Fig. 3.—Hydrachna miniata, Hahn. Fig. 4.—Hydrachna Globolus, Herm.; Atax globata, Fig. 5.—Hydrachna varipes, Hahn. Fig. 6.—Limnochares holoserica. Latr. * New species belonging to the Genus Phalangium.	ab.	. 325 . 325 . 325 . 325 . 325 . 325
	trew species belonging to the Genus I natanglum.	lar her	



1. Octopus Suvierit. d'Ork 2. Part of un arm of the Electope moschatus lam 3. Augonauta argo 2. 4. Sepin of Fraults L. 5. Loligo Brogniarta d'Ork 6 The extremity of a great arm and netern is shape of the Owechoteuthus angulata lesson 7 Nonthlus ponephius L. 8 Spirala australis Teren.






1 Sepia octopodia kin The Velypus of the Americus 2 Eleadon moschatus, korch.

3 Loligo saggituta, kam The Great Calmar

London & Henderson ' Old Benley






1. a b.c. various views of the Sepia octopedia. Lin. Polypus of the Ancients | see also Pt 2. Fig 1

2. Octopus argoninitiv Jan.

London, & Honderson 2 Old Bailey.





L Belemmites aentus Illums 2.2mmaomtes deutetras Deces — Scaphites abliquais sewelte 1 bacculites vertebralis. Lam 5 Invalites Beraret Breug. 6 Nummutivo descandalis d'Urb 7. Nonionian lavigata d'Urb 8 Sidevalura calcitre pendes d'Urb 9. Penerophis planatus d'Urb. 10 Platalina dubia d'Urb. II. Girondina carineta d'Urb 12 Globigerina bulleules d'Urb 13 Rotolia rasca d'Urb 14 Ádvulina co lunina, tarilis, d'Urb 15 Valvulina tenunularis d'Urb 16 Bultarina Miniata d'Urb






1. Belemmites plenus Blune. 2. Belemmites hustutus Blune. 3. Belemmites hiemalionlatus. Blune. 4. Belemmites gigus Bluine. 5. Belemmites princellatus. Blune. 6. Orthocoras regularis. Bluine. 7. Comilites impulatus. Kuorr. 8. Belemmites innervindus. Bluine. 9. Belemmites Seamire. Bluine.

London & Henderson 201d Builey.






1. Miliola sarorum, Ency Meth. 2. Melonia spherica, Ency. Meth. 3. Melonia spheroidia, Ency. Meth. 4. Orbiculina Numismalis, Ency. Meth. 5. Placentula pulvinata, Ency. Meth. 6. Vorticialis craticulata, Ency. Meth.


7. Lenticulina ratulata, Ann. of the E. Museum. 8. Polystomella planulata, Ficht.







1. Numanulites lenticulus. 2. Miliola trigonula. Ency. Meth. 3. Bacculites gigas. 3 a portion of a Bacculites. 4 Turrilites costuluta. Bl. 5. Anumonites volubina. Bl. 6. Nantilus triangularis. Bl. 7. Nantilus unubiliculus. Bl. 8. Nantilus bisiplutes. Bl. 9. Orbulites crassa. Bl.







1. Ammonites interrigitus. Def. young individual. 1. a. front view 2. Ammonites Bregniartie Sow. 2. a. front view 3. Ammonites crassa Def. 3. a. front view 4. Ammonites Deslencharupii. Def. 5. Ammonites bervillii Sow. 5. a. front view.






l Nodos ari a Ferussacti. 2. Textularia pygmera. 3. Polymorphina digitata. 1. Triloculina difformis. 5. Triloculina tricariuata. 6. Spiroloculina perferatu. 7. Spiroloculina depressas compe! 8 & 9. Arti ruhusa nitida. 10. Quinqueloculina striata. Il Amphistegua Jessenni. 12. Alveolina balloides.





1 Clin horealis, Lin (iv. 2. Cymbulia Perenii, tiw. 3 Pneumodermon diaphanum Caey & baym. Vey of Urylle, 4. Pneumodermon Perenii, tiw. 5. Limawum helicina, tiw. 6. Mynlen globulusa, Rang. 7. Mynlen trispinosa, Lessueur. 8 Cleodova lanceolata, Less. 9. Cveseix virgula, Rang. 10. Cuwwin celunmella, Rang. II. Psycho globulusa, Rang. 12. Envybin hemispherica, Rama. 13. Pyvijo lavus, Defrance tiw.





1. Leuticulites plandaris, lam. 2. Discorbites resicularis, Lam. 3. Rotalites trochadiformis. Lam. 4. Frendicularis complanata. Bef. 5. Planularia auris. Def. 6. Planosprites selitaria Def. 7. Spiroli des evlindracca. Lam. 8. Spirolinites complanata. Lam. 9. Nummulites lavigata. 10. No.1. 8.






1. Hamite cylindricus, Inf. 2. Scaphites aqualis, Sov. 3. Orthoceras annelatus, Bl.
4. Connlaria Sowerbeit, Def.









1. Notarchus, 2. Pleurobranchus luniceps, 3. Animal of the Anomia. 1. Animal of the Sigaretus, 5. Animal of the tridaeua, 6. Polyelimme diazona.





L'Avion empiricorum, Féruss, 2 Limas variegatus, Fer. Drap. 3 Vitrina pellucida. Brard. 4 Testacellus haliotideus, Fer. Cuv. 5, Parmacella Olivieri. Cuv. 6. The Head & interior rudimental parts of the Parmacella palliolum. Fer. 7. Vaginula Taunaysii Fer.





1. Helix carocella I. Cuv. 2. Helix globulosa Lam. 8. C. Anostoma Lam. 3. Helix personata Lam. 4. Helix Cu alteriana I. Liv. 5. Helix carabinata Feruss. 6. Helix concidea Drap Cov. 7. Helix memoralis. L. Cov. 8. Suc cinea cubescens. Desk. encycl. 9. Chondrus avenaceus. Cov. 10. Chondrus variabilis. Cov. 11. Balimus qua dalupeusis. Fer. 12. Pupa striatella Fer. 13. Chausilia inflata Lam. 14. Aclastina Mulleri Teruss.






i Melix obvolutu - 2 Aitrina pellucida Brap. 3. Succinca encullata Brap. 4. Succinca amphibia Brap. 5. Clausilia vago sa Brap. 6. Bulla zehra I. 7. Bulimus glans. Brag. 8. Arcatina columnaris. Brag.





I. Planorbis quadelupensis, Fer. A. Planorbis carnea, L. 3. Lymmon's pullidus buér. A. Lymmon us staqualis, L. 5. Physix neva-kakandur, Maine. 6. Scawalius inchinnes Montf. 7. Auricula mude. Lam. 8. Conovulus fasciatus, Desh. 9 One haduum Peranii tuv.






1. Dor's attributy first it for -1. Dor's major for the sound 3 liggs of the Bor's -1. Polycory counts Mill for 5. Tritony circans, two 6. The thys finishing L = 7. Sex Π was a glicing hadensis. Only K with -8 Garcus Existent, the -K town.



Mollusea, Pl. In.




1. Pleurobranchus punctatus, Quey & Gaym. 2. Pleurobranchiwa unaculatu Quey & Gayur. 3. Aplysia punctata, Gay. 4. Dolabella Rumphii Av. 5. Notavelius gelatinesus, Gay. 6. Bursatella Leachii. Blainv. 7. Akera viridis. Rumg. 8. Gasteropteron Meckelii Av. 9. Ombrella indica. Lam.



1. Pleurobranchus Lescur, Bl. 2. Aplisia depilans, Lin. 3. Ombrella indica. Lanck. sec also Pt. 16.


London: G. Henderson, 2. Old Bailey.






1. Bullava aperta. Lanc. 2. Bulla hydatis. Lin. 3. Bulla carnesa. lin. 4. Sovucetus Admiseui. 5. Atlas Peronii, Bl. 6. Bulla fragilis. Lanc. 7. Bulla lignavia. Bl. 8. Bulla Jonkairii Bl. 9. Bulla aplustre. Ency. Meth. 40. Bulla nancum. 11. Bulla anymlla. Ency. Meth.






1. Carinaria eymbium. Lam. 2. Atlanta hermulrenii Lesuem. 3. Fivola candina. Rome. 1. Timor ianu triangularis. Quey & Guym. 5. Monophora rudis. Quey & Gaym. 6. Phyllivoc rubra. Quey & tayre






1 Eofidia varulescens, Lanvillard. 2. Cavolina peregrina linel. 3. Tergipes lacinulatus, üv.
1. Busivis griseus, Rusa. 5. Placobranchus veellatus, Unoy & baym.
6. Phyllidia trilineatu, line. 7. Diphyllidia lineata Otto.






1. Trochus applutinams. L. 2. Trochus niloticus. Chem. 3. Trochus obelis cus. Chem. 4. Turbo pica. L. 5. Ampullaria carinata. Cliv. 6. Helicina neritella. List. 1. Melania coarctata. Lam.






1. Trochus pagodus, Chem. (S. G. lectaire) 2. Trochus imperialis. Chem. S. G. calcar. / 3. Rotella monilifera lam. 1. Trochus iris. Chem./S Geomthuride / 5. Trochus concavus. Chem./S. Geontonnoir | 6 . Trochus telescopium . Chem. / S. G. telescope / 7 . Solarinus perspectivum Lam . 8 . Turbo rugosus, Lam. 9 Belphinula distarta Lam. 10 Turitella displicata Lam. Il Scalaria pretiosa. Lam. 12. Cvelostomia eleganis. Lam. 13. Valvata planorbis. Lam.






1. Paludina vipipara. Im av. 2. Latovina littorea ka. 3. Monedon labor, adaus. 1 Phrisiane II a Ferus. acii Byr. 3. Ampullaria auvanensis, kam. 6. kaniste, cannuta eliv. 7. Helicina neritella kist. 8. Correcte ede ef the Helicina striata. Plane. 9. Relicina pulchella droy 40. Nelama aniarula kam. II. Melaniv truncatu. kam. 12. Risson lactea Malam. 13. Melanopsis bacem ides Ferussaen 41. Pireno spanisa kan.





1 Tornatella flammea. Lam. 2. Pyramidella maculosa. Lam. 3. Janthina communis. Lam. 4. Nation plumbea. Lam. J. Nation albumen. Lam. 6. Nation plicata. Lam. 7. Velate's perversa. lin 8. Nexitina hadica Lam. 9 Clithon corona in. 10. Opercule of the Nexitina lineata. Bl.






1. Comes generales. 2. Comes neeshelirus 3 Comes nutratus 1 Comes textele 2 Comes unperialis. 6 Terebellum convolutum kam 7 Volvasia numlis km 8 Marginella fahu Bl 9. Marginella lineata Bl





1. Oliva littivata. 2. Oliva undata. 3. Oliva subulata. 4 Columbella strombiforinis. 5. Mitra vantuia. Bl. 6. Mitra episcopalis. 7. Mitra microzonias. 8. Mitra dactylus. 9. Mitra decorata. Schum








1 Hipponix cornucopia. Def. see also Pt. 23. Fig. 1 2. Hipponix Sowerbeit. Def. 3. Hipponix dilata Def. 1. Hipponix mitrata. Def. 5. Crepidala subspirata. 6. Navicella elliptica. Ency. Meth. 7. Calyptraea actinetorium.






1. Politin galea, Bl. 2. Buccinum undatum, Bl. 3 Buccinum reticulatum, Bl. 4 Eburna ceylanica, Bl.








L'Onus caledonicus, Lam. 2 Animal of the Conus bandanus, Lun 3 Conus tendincus, Lam. 1 Cyprava stolida Jane. S. Animal of the Cyprox pediculus Jane taken from a drawing of M.M. Andoniu & Edwards & Ovuba triticea, Zam. 7 Ovuba velva Jam. 8. Calpurnus varneesus tin. 9 Terebellum subulutum Jam. 10 Noluta nivesa. 41. Inimal of the Voluta withiopica, Lam. 12 Oliva ispedula, Lam. 13. Oliva auriculavia. Lam. 14. Volvaria pullida, Lam. 15. Marginella unbeculuta Lam. 16. Marginella bulluta, kam



1. Proto turritella Def. 2. Nevinea tuberenlosa Def. 3. Melanopsis lavis Bl.


4. Turritella biangulata Bl. 5. Pyramidella dolabrata Bl.







1. Harpa ventrices a. Lam. 2. Purpura trochilea. Lam. 3. Ricinula arachuaides. Lam. 4. Con cholepas perurianus. d'hy. 5. Cassis decussata. Lam. 6. Cassidaria echinophora. Lan. 7. Terebra muscaria. Lam. 8. Potamis palustre. Bregn. Lam. 9. Potamis fragilis. Pet







1. Cassis tuberosa, Bl. 2 Parpara imbricata, Bl. 3. Ricinula horrida Bl. 4. Terebra buccinoidea. 5. Harpa nebilis, Lam.





1.Murex handairs law 2 Murex hanstellum 8 % broute Montf 3. Typle's pungens Montf 4.Murex cutureus 8 % aquille, Montf 5 Murex lotorium, 8 % lotorie Montf / 6. Murex rube cula / 8 % triton law 7. Murex magellarieus 8 % trophone Montf /






1. Cerithini vertagus. Brug 2. Cerithini aluco Bong 3. Cerithini tristoma Brug. 4 Cerithini sulcata Bl
5. Cerithini Gonacero 6. Cerithini madayascariensis. Bl






1 Murex gyrinus, kin. 2. Murex lotorium, kin. 3. Murex adustus III. 4 Murex scolymus Mar 5. Murex tulipa, kin. 6. Pyrula melongena, Bl






L Fusus marco Lam. 2. Struthiolaria nochelesa, Lam. 3. Pleurotowa babylogia, Lam 1. Pleurotoana aurienlifera. Bl. 5. Pyrula rapa. Lam. 6 Pyvula ficus. Lam. 7. Pyvula perversa. Lam. 8 Fasc i olavia trapezium. Jam. 9. Turbinella pyrum. Jam. 10. Turbinella ceramica Jam.










1. Murex erassispina. III.—2. Murex pungens. III.—3. Buccin papallosum III.—1. Buccin arcularia III. 5. Pterocera scarpa. Lum [first state] for a view of the perfect state see Pl. 27.—6. Strombus tricornis. III. 7. Fuseau tannata. III.





1. Triton lumipus. Bl. -2 Ranella granulata. Bl. -3. Triton variegatum. Bl







1. Strombus papilio. Lam 2. Pterocera scorpi Lam 3 Restellaria pespeleceni Lam
4. Hippocren is macroptera Lam

London, & Hender en. 2 del Bailey






1 Necessetus lumbricalis. Im Adans 2 Nermetus roscus, (hey & boym 3 Nermetus carmatus (hey & toym 4 Magilus antiquus, Montf. 5. Silicaria muricata Lam.






1. Patella vulge tu Martin. 2. Patella compressa Chem. 3. Patella scatella ess Ella e Patella cochlorria. Ede. 5. Patella pectinatu. Elaine. 6. Patella combularia. Elane. 7. Patella deaurata Chem.






1. Chiton marmaratus Chem. 2. Chiton piceus. Chem. 3. Chiton fascicularis. Blane. 1. Chiton' lavis. Blaine. 5. Chiton larvafarmis. 6. Coriocella nigra. Blane. 7. Cryptostoma Leachii Blaine.





1 Haliotis canaliculata. Lam. 2. Animal of the Haliotide liv. 3. Standatia phymosis. Lam. 4. Fissure Ha annulata. Lam. 5. Animal of the Fissurelle. liv. 6. Animal of the Emarginule. livier. 7. Animal of the Patelle. liv. 8. Patella liquibris. Blaine. 9. Parmophorus australis. Lam. 10. Chitou squamosus. Lam.






L.Hinnites *Unbuissonii Bl.* 2. Plagios toma *punctuta Sow.* 3. Pachytos *spinosus, tiw* & Br. 1. Dianchova *striata. Sow.* 5. Podops is trancata. Lam. 6. Anomia ephippium Lam. 7. Placuma placenta Brug. 8. Spondylus americanus Lam. 9. Plica tuba eristata. Lam. 10. Vulsella lingulata. Lam.






1.Radiolites turbinata, Lam. 2. Calceola sandalina, Lam. 3. Spherulites Jouannetii, Pesm. 4. Spherulites eraterifernris, Pesm. 5. Hippuvites cornu pastoris, Pesm. 6. Gryphæa arcuata Lam. 7.0 stvea crista galli, Lam. 8. Ostrea edulis, Lam. 9. Pedum spendyleidenm. 40. Pecten gibbosus, Lam. 11. Linna glavialis, Lam.





1. Cavdita valventata. Iam. 2. Somt of the Shell of the Copen ardio animal. Ann. 3. Coralliopha-ga carditoides. II. A Joint of the Shell of the Venezie ardia sulvata. Pyr. 5. Crassatella sulvata. Iam. 6. Tridacua gigas. Iam. 1. Hippopa sanarulatus. Izm. * Chenna cioceata Iam.





1. Hippurites cornucopia. Def. 2 Hippurites bilocularis, bam


3. Hippurites sulcata, Def attached to a Hipp belocularis.





1. Malleus vulgaris, Iam. 2. Perux ephippium, kun. 3. Crematula avicularis, Iam. 4.
Gervilia seleneides Befr. 5. Inoce (amus sulentus, fiv. 6. Catillus Invierii, Brang.
7. Pulvinites Adanson (Defr. 8 Etheria elliptica, kun.






1. Strygocephala Burtinii. Def. 2 Strophomena rugosa Rafin.
3. Spirifera trigonalis. Sow.


London: 6. Henderson, 2 Old Bailey.





1. Spheralites foliacia. Lam. 2. Calceola heteroclita. Def. 3. Ostrea margaritacea. Bl.


London & Henderson, 2. Old Bailey.





* Terebratula digena, Bl. 2. Terebratula giobosa, Bl. 3. fevebratula differens, Bl. 4 Terebratula distributa differens, Bl. 5. Terebratula caput serpentis, Bl. 7. Terebratula lyra, Bl. 3. Terebratula caput serpentis, Bl. 7. Terebratula lyra, Bl. 3. Terebratula caput fira Bl. 9. Spirifera Sewerbeii Def.






1. Avicula heteroptera Lom. 2. Pintadina margaritifeva Lom. 3. Same as Eig. 2 but from a young subject. 4. Pinna angustana Lom. 5. Avea granosa Lom. 6 Pectunculus pilosus. Lom. 7. Nucula emarginata Lom. 8. Trigonia pectinata Lom. (Yar.)





L. Ricevas arietina, Iam. 2.1 socardia Dussumierii Val. in the rellection of the French Museum. 3. Cardhum fimbriatum Lam 1. Domax Whavea Nal. in the collection of the French Museum. 5. Cyclas cornea. Iom. 6. Cyrena cevlanica Lan., 7. Cyprina mgas. L. 8. Galathea radiata Lom.






1. Pinua nobilis. Lin. 2. Avea New. Chem. 3. Area barbata. 4. Area tertuesa. Chem. 5. Area manuerata. 6. Area mytiloidea. Bl



L.Mytilus edulis, Lm. 2. Mytilus hilocularis, L. 3. Modiolus papuensis, M. 4. Lithodomus lithophagus, L. lw. 5. Anodonta eyguca, Lam. 6. Unio pictarum. L. 7. Unio cavidiacea, Sw. 8. Hyrix avicularia, Lim. 9. Castalia ambigua, Jam.






1. Dianchora striuta. 2. Plagiostoma spinosu. Bl. 3. Podopsis truncata. 1. Ochicula lavis. Bl. 5. Hinnites Cortesti. Def.





1. Cyprina islandica them. 2. Chama grypherides them. 3. Chama gigas them. 4 Cardium ediche l.
5. Cardium hemicardium them. 6 Isocardia ter lam





1. Donax scortium Bl. 2. Donax anaticum Bl. 3. Donax brazilicusis Bl.

1. Tellina vadiatu. Bl. 5. Tellina cornea. Lin.

London & Henderson 2 Old Butter





1. Tellina timorensis. Lam. 2. Corbis finibriata. kam. 3. Cyrena ecylanica. Lam. 4. Venus decussata. kam. 5. Venus corbis. kam. 6. Venus puer pera, kam.






1. Anadonta dipsas, Lam. 2. Unio sinuata, Lam.

3. Castalia ambiqua .Lam - ser also 12.34.


London is Hander on 2. Old Builey.





1 Tellina lingua felis, kan 2 Terist of the Shell of the Coches probriata, kani. 3 Lovipes lactea, kani. 4. Lucina jamaicensis, kani. 5. Venus, 6 Teint of the Mell of the Venus chiene kani. 7. Venus danniensis, kani. 8 Venus exceleta, kani. 9 Teint of the Shell of the Capsa brasiliensis kani. 10. Petricola lucinalis, kani. 11 Teint of the Scill of the Cochela anstralis kani. 12 Mactea brasiliana, kani.






1 Nenus chione lin. 2 3.4 5, various positions of the Shell of the Venus chione.







1 Nenus la la Jame 2. Venus ligerina, Lam. 3. Venus persinello. Lon. 3. Venus resultat. Jam. 5. Venus Rexuesa, Lem. 6. Venus rasina Chem.






LMya truncata, kani 2. Latravia elliptica, kani, 3. Anatina hispidul — 4. Glycimexis siliqua L. taken frem an impublished drawing by Mens' Andenin – 5. Jount of the Shell of the Panopwa aldrevan di kani. 6. Byssomia phaladrs, Mull – 7. Hiatella arctica (kalir, Besa – 8 – Solen ragina, kani. 9. Sangnininolaria livida, kani. 40. Psanimothoa candida, kwa





1. Solen cultellus, Chem. 2. Solen strigitatus, Chem. 3. Solen legumen, Chem. 1. Psammobia virgata, Lam. 5. Psammothea violaeva, Lam. 6. Pholas costata L. 7. Pholas crispata, L.







1. Sangmnolaxia rugosa 2. Sangmnolaria occidens Lam. 3. Solemya anstratis. Lam. 4. Glycimora incrassato. Cum. cr. Lam. 5. Aspergillono javanum Chenm. 6. Fistulama cornifermis. Lam. 7. Clavagella tibialis. Lam. 8. Teredo Palmulatus. 9. Gestrochoma clava.






I. Pholas *striata. Lam.* 2. Tevedo *navalis. L.* 3. Fistulana *gregata. Lam.* 1. Gastvochæna cunciforniis. Lam. 5. Tevedina personata. Lam. 6. Clavaĝella caronata. Pesh. 7. Aspevĝillum vagini feruni. Lam. Savigue.






1. Thalia eristatu, tiv. 2. Salpa sentrgere tiv. 3. Salpa infundibuliformis. 4. Salpa trienspis. Quev & Gaven 5. Salpa langicavia, Quev & Gaven 6. Salpa fusiformis luv. 7. Salpa zonavia. Bl. 8. Salpa Celinderca liv. 9. Salpa Perantidulis. Cure & layen. 10. Boltenia *evifera Savigay.* Il Cynthia necessas Sa. 12. Phallusia nigra, Sav. 13. Clavellina bercalis Sas





A Cotryllas polygielus, Sac 2 Pyrosonia enium, Pierr et Carm 3 Hetails octhe Pyrosonia giganteam Les neur A Polyolium censtelletum Sac, 5 Sac elsoni leopitudum Sac, 6 Aplilanu lebatum Sac.






L.Anatifa havis, kam 2. Pollicipes cornucapia, kam, 3. Pollicipes mutalla, kam, 4 Pollicipes scalpollum, kam, 5. Cinevas villata, kach, 6. Otion Envierii, keach, 7. Tetrales mis hirsutus, tiw, 8. Triton alepis, Rang, fasciculatus, kessan.






1. Ascidia microscomus. 2. Ascidia intestinalis. 3. Distoma variolatus. 4. Botevlla stellatus Desm 5. Synoicum ficus. Ellis. 6. Synoicum turgens. Desm. 7. Salpa polomorpha Chev & Gaym. 8. Salpa firoloidea. 9. Salpa bicornis. Chemisso.






1. Lingula anatina, Car. 2. Torobratula Candichandu, Pal, Col, Mus. 3 Spirifor trigonalis. Sins. 4 Orbicula lavigata 131. 5. Crama personata, Lam.







1 Balanus ovularis, Lam. 2. Animal of the Balanus sulicites, two 3 Avasta spine vula Mesh. 1 Acasta Mentagui Leadt. 5. Conia radiata, M. 6. A semus perasos, but tw 7. Pyréom; i cancellata Leach. 8. The same from a drawing by M. Saviguy. 9. Creusia spine sula Leach. 10. Chthamalus stellatus, Poli II. The came from a drawing by Mainville. 12. Ochthosia straenii Mansani. 13. Covonula behrnaris, kam. 14. Tubiciuella balavnavnii Lam. 15. Giadema Ceronicla Madema, kam.






1. Balanus spinosus. 2. Balanus gigas. 3. Balanus spangites. 4. Coronula testudinaria. 5. Coronula balanarian. 6. Pentalepas turis. Bl. 7. Pentalepas pollicipes. Bl. 8. Polylepas rulgaris. Bl. 9. Lythotrias Soverbeir.







1. Serpula contactuplicata for 2 Scipula castalis kani 3 The Opercule of the Scipula stellata too abildy 4. The Opercule of the Scipula becomes no abildy 5 Saliella pratule too 6. Spiculbis nantifiedes kani






1. Terebella variabilis. Risso. 2. Terebella medusa. Sav 3. Amphitrite agyptia. (iv. sav.






1 Dentalium entalis (in 2 Siphostomia diplochaites 12tto.)
3. Anatomical details of the Siphostoma uncinata. Andenn & Milnes Edwards





1. Avenicola piscaturum, Cux. 2. Pleyone alexania, Sax.





L'Enphrosine laureatu Say, Cay 2. Branchia af the Emphrosine mirtesa Say.


3. Hipponoe Gandichaudu, And Circ.



1 Enrice Leadice. Sac. antennata. Sacieny. 2. Enrice sanguinea Laur Setes of Miciwice.


3. Enrice Indicata Muller.






1. O'mone lucida sa 2. Aglanen fulgida . sav






Nereis nuntia Javeny






Nereis nuntia anare





1. Syllis monitaris Saram. 2. Loods inco à Orling a Zoralo.
3. Hesione sylendada Saragar







1 Syllis mentlaris Savigny 2 Lembranera Orbignyi Elwads. 3. Hesione splend da saviene








1. Aphrodita aculvata. Baster 2. Anatemical details of the Aphrodita histric Sac 3. Polynoë imputions Sav 1 Polynoë levis Edu.






Le lymene ampins, and $-e^{-2/8}$ be a single officinalis. Sac 3. Sangnis nga medicinalis. Im.


4. Bdella, a le trea. Sac $\rightarrow M$ with if the Haemopis sangnis ocha. Im.





DISPOSITION OF THE VISCERA IN THE DECAPODOUS CRUSTACEA.





L.Matuta Perenii . Leach .

2. Orythia mamillaris. Fabr.

3. Podophtalmus vigil. Latr.

4. Thalamites Admete. Late.






1 Mutata victor. Eab 2 Cancer hastata flerlist.
3 Polybius Henslown Leach

London G. Honderson 2. Old Barley







1. Cancer puber, L. måle. 2. Portums murnwreus, Leach.
3. Portumus variegatus, leach.


Londonski Wenderson, 2 Old Barley






1. Concex pagnues, L. 2. Nantha floridus L






1 Atelegyelus septemdentatus mali Jeach 2 Cancer ruricela L.





1. Hepatus fasciatus, latr. 2. Mursia eristata Besm. 3. Ocypode cerathophthalmus, lab 4. Pirimela denticulata, kach. 5. Pilumuns kirtellus, Leich.






1. Cancer Mhuniphii Late 2 Atelegyelus ernentatus. Desm.


3. Thin polita. Leach






1. Macrophtalmus parefinianus, latr. 2. Gonophax rhembaïdes, Lin. 3. Gelasimus ebbaraphetalmus, latr. 4. Mictyris longicarpins, latr. 5. Anatomical details of the Mictyris sulcatus dud. 6. Pinnothere's villosulus, buér.






4. Eriphia hevinoma Late. 2. Pilumnus aculeatus. Edm. 3. Thelphus a indica Lan 4. Fore part of the Thelphus a fluviatilis. Late





1. Cancer rhomboides. Lin 2. Gela simus marionis. 3ch.
3. Plagusia elavimana. Lat.

London & Henderson, 2.Old Builey.





1. Thelphusa fluvintilis Late with anatomical details.






1. Grapsus pictus, Lam. 2. Maia squinado, Herbst.


Lendons & Henderson 2. Old Builey





1 to spous variegatus Late. The surregated (valighet) ? The anatomical prendication of the Grab Fish Progressa 3. Corvetos personatis. Herbet The Musked Centi) A Lencosia neania. Herbet The Crab Lancosia.





ł Camposeia *retuju Jatr. 2.* Halunus *arrew Lair* 3. Lähinia *spinosa M Edw*





1. Eğerin indica. Leach. 2. Pisa tetrandon. Leach.

London G.Henderson, 2 Old Barley.






1 Inachus *scorpio. Fab* 2. Inachus *dorhyuchus Leach* 3 Hymenosonia *orhicularis Latr*


London, t. Henderson, 2 Old Barley






1 .Homola .
2 .Doi:ppe nocholosa .
London GHenderson . 2 .Old Builey





1 Ceapsus pericelliger (The Harr Fingered Crub) 2 Rempes testudinarius 3 Pagurus laticanda (The Mauritus Broad Toiled Crab) 2 Rempes testudinarius | The Austruhan Cint






I Covery musket to a first to 2 Month of the Cardisonia carrigor late

Con una Late






l Homola spinifrans - kaich —— 2 Pactolus Boscu - keuch —— 3 Ranina dersipes, kam


London & Henderson, 2 Old Bailey





1. Allmnea symmista Fab. 2 Hippa emeritu L. 3. Remipes testudinarius Brazilian (rah This Drawing was taken from a specimen obtained from the coast of Brazil.







1 Parthenope herrola labe 2 In cultive figure of the Lambours Masseria Rena 3 Anatomy of the Lambous Mediterraneus Rom - 1 Lanyhoung aspera Leach 3 Mithrax spinicinetus latr Young Specimen


" . San to Honder on " Old Buther






L.Acanthonyx lumulatus latr. 2. Pisa scrpulifera M. Edv. 3. Pevicera trispinosa. M. Edv.







1. Micippe Phylica, leach, lat. 2. Amitemical details of the Micippe rista a land in 3. Stemocionops vervice nis land lat







1. Lithodos artica. Latr. 2. Calappa tuberculesa. Lat. Fab.
3. Æthva depressa. Lam.





1 Dromia nodipes The Weath's Head Crab | 2. Brynomene hispida. 3 Ranina serrata






L.Hymenosoma *leachii bare.* 2 Inachus theracicus Renz. 3 Leptopus lengipes, Latr


L. Con Henderson 2.0ht Builty.






1 Eurypodius Latreillii. buer 2 Stenochynchus phalanguan ladeh 3 Anatomical details of the Stenochynchus tenuwestris - cach 1 Leptopodia Scanttaria Fab.





1. Loucosia craniolaris, Eab. 2. Myra fugas. 3. Ebalia Pennantii. Leach. 1. Ixia canalicu lutu, Leach. 5. Arcania crinaccus, Leach. 6. Alia nucleus, Leach.





1. Dromin hirsutissima Lam. 2 Thacas. Per vin Leach.






I Palinums quadricarus Fab.

London, 6. Her derson, ? Old Birtes







1 Birgus latre. Latr 2. Pagurus auttatus, Oliv 3. Antenna of the Pagurus elypeatus, Oliv. genre Camoluta Latr.





1. Scyllacus latus, lam. 2. Palinneus Ricordi Guer 3. Scyllarus orientalus labr.





1. Galathen strigosa Fab. 2. Convex platycheles Penn 3. Æglen lavis Leach

London, 6 Henderson, 2 Old Panley






1 Thalassina scorpromides Late 2. Gebra stellata Leach 3. Megalopus initica, llesm


London, 6 Henderson 2. Old Builey






1. Cancer gammarus, Lin, The Common Lobster / 2. Atia scalbra, Leach.
3. Porcellana punctata, buer. 4. Axius Styrhynchus, Leach.






1 Lysmata seticanda Risso. 2. Pontonia custos tuer Fersh. 3 Alpheus Edwardsir dud. 4. Hyppolite bearlin buir





1. Squilla mantis. Eab. 2 Aluma hyalina, leach. 3. Erichtu's vituores, lat 4. Erichtus armatus Let 5. Phyllosoma charicerna, Lench. 6. Phyllosoma laticerna, lench. 7. Jassa pelanica lench. 8. Ceraphus tubularis, Th. Say 9 Praniza maculata, West.





I Palaemon squilla Lin 2 Athanas nitescens Leach. 3 Pasiphaea sevado Risso






1. Hippolyte Sowerbari Leach. 2. Hippolyte varians, Leach. 3. Nika canalicula Neb.
4. Pandalus annulicornis, Leach. 5. Egeon loricatus, Risso.






1. Penarus trisulvatus. Leach. 2. Palæmon serratus. Leach. 3. Nibalia Herbstvi. Leach.
4. Myis Fabricii. Leach. 5. Crangon vulgaris. / The Commen Shrimp






1. Nephvop's nerwegieus, lin. 2. Astacus fluviatilis, Fabr Variete/ 3. Eryon Envierii, Pesm. A. Callianas sa subterranea Leach.



1. Squilla scaliricanda Lam. 2. Squilla chiragra. Fab.






1. SquiBa scalericanda, lana junderneath view, for an other view see Pl. 33, bis 2. Atva scalera. Louch.

3. Processa chilis, Risso.






1. Squilla stylifera, Latr. 2 Coronis scolependra Latr. 3 Eciektus Thermeellir, bue 1. Alima longivostirs buer - 5 Anatomical details of the Alima tetricanthura Latr






1. Caprella tubereulata, tuter 2. Caprella lobata Latr. 3. Cyamus ovalis Latr. 1. Ptevygovera ates aria Latr. 5. Anceus forfienlaris llisso 6 Typhis ferus Edw 7 Corophium longicornis lati for an outline fig of same see Pl 35. 8. a young individual of fig ti






L.Phronima sedentarius, Latr. 2. Talitius Locusta, Latr. 3 Orchestia littorea Leach. 4. Atylus earinatus, Leach. 5. Leucothoc articulosus, Leach. 6. Dexamine spinosus, Leach. 1. Melita palmata, Leach. 8. Caucer puler. Lui. 9. Amphithoc rubricata, Leach. 10. Pherusa furicola, Leach. 11. Cerophium longicumis, Latr. 12. Ceropus tubularis, Say.






1. Phyllosoma commune, leach 2. Phyllosoma Reynaudii liner. 3. Anatomical details of the Phyllosoma brevicorne, leach. 4. Phronima atlantica, buer. 5. Hyperia Latreillii. Edw. 6. Hyperia pedestris, buer. 7. Themisto bandichandii baer.






1.2. Ione thoracica Stant 3. Ovchestra Fischerii Edw. 4 Maulible of the Ovchestra 5 Talitvus pla tycheles, 6ner. 6. Gammarus locusta Latr. 7. Leucothoc firma Savigny 8. Amphitoc filosa, Savigny





1. Gammarus pedatus. Mil. 2 Cyamus ceti. latr. 3 Oniscus carneatus. Ment. 1. Apsendes tulpa Leuch. 3. Idotea tricuspidata Latr. 6. Stenosoma linearis Louch. 1. Anthura gracilis. Leuch 8. Næsa bidentata Leuch. 9. Oniscus serratus. Fab. 10,841. Æga emarginata Leuch






1 Cymothoa trigenocephala . Leach

2. lehthyophilus Orhignyi buer


3. Canolira agyptiaca finer. 1. Cyanus Delphinic finer.






1 & 2. Cymothou wstrum. Fab. 3. Anilocva capensis. Leach. 1. Nelociva Swainsen: Leach. 5. Cilicom Latreille. Leach. 6. Cymodocon lamurckii. Leach. 7 & 8. Idoton aquatica. Fab.






1 & 2. Ligia occurrica Tab. front & back view. 3. Onison's asellus Lin. 1 & 5. Armadillo pustulatus. Immeril. 6. Bopyvus squillarum female. Late. 7. back view of Fig. 6. 8. side view of Fig. 6. 9. claw of the Bopyvus squillarum. 10 & 11. back & front view of an individual supposed to be the male Bopyvus squillarum. 12 Maid of the Palemon's squillarum viaht sub-defermed by the presence of a Bopyvus. 13. As gulus foliaecus, male, Jurne Jun. 13. a. back view of the Argulus feliaecus, female.






1. Cypris religiosa. 2. Anthosoma Smithii. 3. Cytherea fulva. 4. Cyclopa communes 5. Lynceus reseus. 6. Pandarus biceler. 7. Daphnia cluthrata. 8. Caligus Mulici The Fish Leuse / 9. Dich elestium sterieni






1 Cyclopa communes var vahi. 2 Cyclopa concuentis, vav. virulis, fenale 3 Yeang individual of the C. cammunis 4 Cyclopa castov female. 5 Cyclopa staphilims. 6 Daphura pulex bute.





1. Apis cancriformus, female, late. 2. Monoculus apis, Linn 3. Cypris fusca struis 4 & 5. Cypris ornata, Mull, back & front view, 6. Cypris vidua, Mull. 7 & 8. Cypris, unifusciata, Noh.






1. Limmadia Hermani 2. Branchipus paludosus. 3. The Head of Fig. 2.—1. Tail of the B. paludosus fomale. 5. A young individual of the saure species as Fig. 2.





1. Limnius polyphonius, Fab. 2. underweath view of Fig. 1.
3 & A. Polyphonius weithis, Mull. back & front view.






1. Errodon occuterius Late 2 Mygale semicutaria mile Lair 3 Scythodes theracica Late 4. Thomasus heteromistee Lan 5 Class of a mundible of the Mygale avreularia Laur 6. Lycosa turentula Late. 7 Mouth of the Drassus melanoguster Late.



Animal Tungdom.

Mirgale finsviata. Walch.







Mygale Blondii Latr.






1. Mygałe *avrentaria*. Walek 2. Atypus Salzeri, Latr

Lendon G. Henderson 2 Pld Bailey.







1. Aranea nigrita. Fab. Mas. 2. Drassus hicolor. Hahn. Mas. 3. Disdeva erithrina.
4. Drassus cinereus. Hahn. fem.


London, & Henderson, 2. Old Burley.






1. Drassus melagonaster Lem. Latr. 2. Drassus mentanus, Fem. 3. Drassus muranus.
4. Drassus ater. Latr. 5. Drassus fulgens, Walek.





1. Clubiona amarantha. Nalek. 2. Seģes tria senoculata Walek. 3. Seģes tria perfida. Walek.
4. Clubiona holoserica, stripped of its Legs. Walek.






1. Clubiona Tapidicola, Lat. 2. Clubiona punctata, fem.

3. Clubiona pallens, stripped of its legs.

Lendon, G. Henderson, 2. Old Bailey.






L. Clubiona chaistraria fem. 2. Clubiona atrox, fem Walek.


3. Clubiona nutrix. Lat. stripped of its legs & mandibles






1 Aranea laburuthica Lat. male 2 Aranea laburuthica female 3. Argyroneta aquatica

London: 6 Henderson 2 Old Bailey.






1 Theridion 4 guttatum, 1 a female of Eig.1 2 Theridion redimitum, Walik 3. Theridion bicolor
4. Theridion varians var.

London & Henderson, 2 Vld Barley.






1 Theradion | punctatum mak Walek | 2 Theradion ma : latient line | alek


3 Theridion a signatum - 1 Theridion dersione - 5 Theridion various






1 Phryuns renificacis lm 2. Scorpio afer. lin 3 Theliphonus candatus lei 4. Galeodes spinipalpis, lat.

London & Henderson 2 Old Barley






1 Theridion inhips 2 Theridion therace um 3 Theridion maxillesum


I Theridion equation length 5 Theridion tristes len 6. Theridion nervesum balck






L.Theridion maxillosum female. 2 Theridion obscurum—3. Theridion reticulatum. 1. Theridion beeder stripped of its legs & mandibles—5 Theridion nervosum stripped of its legs & mandibles





1. Aranea turvipes, lin fem. 2. Thomisus anvectus mate. Walch.
3. Thomisus griseus fem.






1. Thomasus aureelus, fem. Walek. 2. Oxyopes variegatus, fun. Lat.
3. Aranga fimbriatus, Clerk.

London w. Honderson 2. Old Builty.






1. Thomisus aureelus, fem , Walek 2. Oxyopes varugatus fem lat.
3. Avanea fimbriatus, Clerk.

London G. Henderson, 2. Old Builty.






1. Thomisus pratensis. Hahn. 2. Thomisus diadema Hahn. 3 Thomisus rhemboreus

4. Thomisus oblongus






1 Thomisus pini, 2 Thomisus robustus 3 Thomisus sabulosus 4 Thomisus breupe).


5 Thomisus ulmi 6 Thomisus lateralis





1. Pholeus phalangicides. Walek 2 Epeira clavipes. Walek






1 Eperra sturmii Ilalm. 2 Eperra hirsuta Ilalm. 3 Eperra ultrichu Ilalm.

Landon to Henderson " Old Butter






Tetragnatha extense. Lat

London: 6 Henderson, 2 Old Bailey.






1 Thomisus floricolens. Walek. 2. Thomisus retundatus Walek. 3. Thomisus retrens Walek.

4 Arameus plantarius (lerk. 5 Thomisus criistatus Walek.)






l Epcira sericea, Walek — 2 Epcira selopelaria — Clerk 3 Epcira conica Walek.

London a Henderson, 2 19d Balley







1. Micronimata sinaragdina, male, lat. 2 Micronimata sinaragdina, fem. 3. Ploborus Walkenaerius, fem. lat.


London 6. Henderson, 2. Old Bailey





1. Epcira scalaris. Walek. 2. Epcira apoclisa. Walek.






1. Acrosoma furcata, fem. Ilahn. 2 Acrosoma bifurcata, Ilahn. 3. Acrosoma heracantha fem Ilahn. Aranoa heracantha, Fab.


London & Henderson 2, Old Battey.






Aranea Fasciata (The Fasciated or Barbary Spider)






1 Lycosa Latreilleii - 2. Eperva angulata Walek | 3 | Eperva genista | 4 | Eperva Herii | Hahn


London G. Henderson, 2. Old Bailey






1 Eperra diadema. Fem. 2 Eperra tubulessa Walch 3. Eperra agalena Hahn






1 Eperva sulpina 2 Eperva virgita 3 Bedy of the Eperva umbrutica 1 Body of the Eperva Schreibersii Fini





1. Iyeosa silvienttria male 2. Iyeosa silvienttria female 3. Iyeosa peaegrandis 4. Iyeosa hellenica.






1. Lycosa sahulosa Hahn. 2. Lycosa cursor Hahn. 3 Lycosa lugubris. Hahn.
4. Lycosa meridiana Hahn.


London: 6. Henderson. 2 Old Barley.






1. Lycosa melagonaster. 2. Lycosa ruricola latr. 3. Lycosa vorax. Walek 4. Lycosa alpina.


London & Henderson ? Old Barley.





1. Ere sus otenizoiaes. 2. Ere sus lucidus. 3 Palpimanus hacmatinus, male. 4 Palpimanus hacmatinus, fem 5. Oxyope's lineatus male. 6. Oxyope's lineatus, female.






1. Lycosa picta. 2. Lycosa piratica. Walek.

3. Lycosa saccata latr. male


London 6 Henderson, 2 Old Bailey






1. Lycosa Lynx. Fem 2. Lycosa paludosa. 1cm.






1. Dolomedes hurbatus, Hahn. 2. Dolomedes mirabilis. Walck


3. Dolomedes marginatus. Walck





1. Avanca grossipes de mer. 2. Salticus fusciatus llahn 3. Salticus tigrmus llahn
4. Salticus littoralis. 5. Attus quinquepartius. Walek.






L. Salticus Stoanci, Latr. 2. Salticus crur. 3. Salticus gracilis 4. Salticus brevipes. 5. Salticus agilis.


London: E. Henderson. 2, Old Bailey.





1. Attus chalybeins, Walck. 2. Saltiens aenens, 3. Saltiens pubercens, Fab. 4. Saltiens flavipes. 5. Salticus abietis. 6. Salticus pini, de Geer.






1. Saltieus Rumpfii, latr. 2 & 3. Saltieus scenicus, Latr. 4. Attus cerenatus Walek 5. Attus cupreus, Walek

London 6. Hinderson 2. Old Bailer.



1. Chelifer concroides, Gaff. 2. Chelifer isocides, Hahn. 3. Chelifer certicalis, Halos 4. Ereseus annaherinus, Walck. 5. Exeseus annulatus, Schuff.






I Opilio *langipes, lleibst male* 2. Phalangium *cornut nor male*3. Phalangium *cornut um lingemal*

London & Henderson 2 Vld Barley






l Phalangium Helmigu Paus 2 Opilio hispidus Herbst




1. Trogalus nepiformis Lat 2. Trombidium fascientatum. 3. Trombidium holoseviceum. Edb. 4. Trombidium fuliginesum. Ilerm. 5. Trombidium trimaentatum. Herm. 6. Trombidium muscosum. 7. Erythrasus phalangicides, Lat.





1. Dolomedes riparious. 2. Ixodes reduviris. Ilalm. 3. Ixodes marginalis. Ilalm. 4. Theradion beniquium male. Walck. 5. Theridion beniquium female. 6. Aranen latens. Fab. 7. Dictyra variabilis. Ilalm.





1. Hydrachna geographica, Mull. 2. Hydrachna histricuica, Hahn, 3. Hydrachna miniata, Hahn.

4. Hydrachna ylobolus. Herm. 5. Hydrachna varipės. Halm 6. Limnochaves holoserica, Lat.













